



Fall Protection

# Core Range Fall Protection

Product Catalogue.



# The Very Best in Fall Protection.

## We've covered your industry for years.

For more than 70 years, we have earned the trust of companies and people around the world by putting all our energy and all our expertise into achieving our mission:

**Dedicated To Bringing Every Worker At Height Home Safely.**



**3M Fall Protection** is the world's leading manufacturer of fall protection safety equipment including height safety, confined space and industrial rescue. Through our leading operating brands, DBI-SALA® & Protecta®, we deliver the right solution to our customers across Australia & New Zealand.



### The Ultimate In Fall Protection


The **DBI-SALA®** brand embodies a commitment to excellence and innovation with its extensive range of fall protection solutions, designed to keep you working at height; safely, efficiently, comfortably. The ultimate in fall protection for any work environment.



### Trusted, quality Fall Protection

With over 50 years experience, the **Protecta®** brand provides the complete line of fall protection products you can rely on, at exceptional value.

## Where Our Expertise Extends:



All DBI-SALA & Protecta products are certified to meet or exceed Australian and New Zealand Standards where applicable.

This product range brochure is designed as an introductory guide to the full complement of Height Safety, Confined Space and Industrial Rescue Equipment available. Please call or visit our website for more information on our complete range of products and services.

**For more information, call**  
**1800 245 002 (AUS)**  
**0800 212 505 (NZ)**  
**3M.com.au/FallProtection**

## 3M Personal Safety Division...Your Partner in Safety.

Our fall protection products deliver the highest standards of protection for workers in the deepest of mines through to the top of the tallest towers. However, on any given shift, workers may potentially put themselves in harm's way. The risks are endless, ranging from head and eye injuries, hearing and respiratory protection hazards, and falls from height.

At 3M, we innovate with purpose and use science every day to shape the future of personal protection and the wellbeing of workers, helping them to return home safely and live healthier lives.

**For more information on the entire range of Personal Protective Equipment available from 3M please contact your local distributor or regional 3M Safety Specialist.**



Head 8



Disposable Respirators

# The ABC's of Fall Protection

**A**nchorage is a secure point of attachment. Anchorage connectors vary by industry, job, type of installation and structure. They must be able to hold fast under more than a ton of force generated in a fall.

**B**ody Support harnesses distribute fall forces over the upper thighs, pelvis, chest and shoulders. They provide a connection point on the worker for the personal fall arrest system.

**C**onnectors such as shock absorbing lanyards or self retracting lifelines connect a worker's harness to the anchorage.

**D**escent and rescue devices are used to retrieve an injured worker or lower him to the ground.

**E**ducation is essential. We offer a variety of free resources, training and consultative services to fit your needs.

**F**all protection for tools helps make work environments safer and more productive by reducing dropped object incidents.

## Contents

<b>NEW in this edition...</b>	<b>04-05</b>
<b>Anchorage</b>	
Anchors / Specialised Anchors	<b>04-05</b>
Horizontal Systems / Anchor Straps / Lifelines / Anchorage Devices	<b>06-07</b>
<b>Body Harnesses</b>	
ExoFit STRATA™ Harnesses	<b>08-09</b>
ExoFit NEX™ Harnesses	<b>10-12</b>
Delta™ Harnesses	<b>14-16</b>
Fall Protection Kits / DBI-SALA® Miners Belts	<b>17</b>
Pro Harnesses / Protecta® Kits / Miners Belts	<b>18-19</b>
<b>Connectors</b>	
Karabiners / Snap Hooks / Scaffold Hooks / Rope Grabs & Lifelines / Vertical Systems / Pole Straps	<b>20-21</b>
EZ-Stop™ Shock Absorbing Lanyards / Force2™ Shock Absorbing Lanyards	<b>22-23</b>
Nano-Lok™ SRL / Nano-Lok™ Extended Length SRL / Nano-Lok™ Hot Works SRL / Nano-Lok™ LE SRL / Ultra-Lok™ SRL / Sealed Blok SRL / Load Arrestors / SRL Accessories / Karabiners / Hooks / Rope Grabs & Lifelines/	<b>24 - 27</b>
Rebel™ SRL / Shock Absorbing Lanyards / Pole Strap	<b>28-29</b>
<b>Descent &amp; Rescue</b>	
Tripods / Emergency Retrieval Sealed Blok SRL / Winches / Retrieval SRL Hitch Mount / Bosuns Chairs / Spreader Bar / Portable Fall Arrest Post / 5-Piece Hoist System / Side Entry System / Bases and Mounting Options	<b>30-31</b>
Rescue Systems / Penoguard™ / Protecta® Confined Space Equipment	<b>32-33</b>
Rollgliss™ Technical Rescue	<b>34-41</b>
<b>Speciality Systems</b>	
FlexiGuard™ Access Systems / 3M™ Connected Safety	<b>42-43</b>
DBI-SALA® Engineered Systems / Netting Systems	<b>44</b>
<b>Accessories</b>	<b>46</b>
<b>Education &amp; Resources</b>	<b>44-45</b>
<b>Fall Protection for Tools</b>	<b>47-49</b>
<b>Services</b>	
Fall Protection Training / Inspection Reporting Service	<b>50-51</b>



# NEW in this edition...

Anchor on the Go™

Page 4



Rail Anchor

Page 7



Pro Harness Range

Page 18



Nano-Lok™ extended length

Page 24



## A Anchorages

### 3M™ DBI-SALA® Anchors

3M Order Code	Model #	Description
70007440434	2100101	<b>3M™ DBI-SALA® Structural Mount Anchors</b> Saflok™ Toggle Anchor D-ring with anchorage plate D-ring Anchor
70007440707	2101630	
70007610515	9501683	
70007450920	2100085	<b>3M™ DBI-SALA® Concrete Mount Anchors</b> Saflok™ Concrete wedge anchor Concrete detent anchor Bolt on, with swivel D-ring
70007440699	2101004	
70007441093	2104560	
70007928024	L4543	<b>3M™ DBI-SALA® Roof Mount Anchors</b> Purlin mounted for steel roofs Truss mounted for steel or tiled roofs Purlin mounted, for flat pan applications Purlin mounted, for corrugated iron applications
70007925426	L4544	
70007938395	L4550	
70007937967	L4551	
70007932786	L4552	Purlin mounted, for spandek applications
70007951026	2100191	
70007451050	2100154	<b>3M™ DBI-SALA® Mining Anchors</b> Saflok™ Mining Bolt Anchor with swivelling O-ring Saflok™ Hybrid Bolt Mining Swivel Anchor
70007451076	2100156	



2100101



2101630

9501683



2100085



2101004



2104560




2100191



L4544



L4543



L4550



L4551



L4552

2100154



2100156



ExoFit STRATA™  
Harnesses

Page 8



Delta™ Comfort  
Harnesses

Page 16



ExoFit NEX™ Rope Access  
Suspension Harness

Page 34



Lad-Saf™ Sleeve

Page 21



Fall Protection  
for Tools

Page 48



Fall Protection

### 3M™ DBI-SALA® Specialised Anchors

3M Order Code	Model	Description
70007440806	2103143	<b>3M™ DBI-SALA® Beam Anchors</b> Beam trolley, adjustable Glyder™ 2 sliding beam anchor, adjustable Fixed beam anchor, adjustable
70007452413	2104700	
70007442091	2108406	
70007442091	2100080	<b>3M™ DBI-SALA® Door Jamb Anchor</b> Door/Window Jamb Anchor
70007441051	2104530	
70007441069	2104531	<b>3M™ DBI-SALA® First-Man-Up™ Systems</b> 1.8 - 3.6 m working length 2.4 - 4.8 m working length
70007452876	2200095	
		<b>3M™ DBI-SALA® Vacuum Anchor System</b> Mobi-Lok™ self-contained vacuum anchor <b>Also available:</b> Industrial and aviation compliant versions, Shop-air model



2103143

2104700



2108406



2100080



2104530

2200095



# A Anchorages




## 3M™ DBI-SALA® Horizontal Systems

3M Order Code	Model #	Description
<b>Sayflite™ Temporary Lifeline Rope Systems, up to 2 users</b>		
70007928644	P-2000-15	15 m
70007926168	P-2000-20	20 m
70007939690	P-2000-25	25 m
70007929972	P-2000-30	30 m
70007930103	P-2000-35	35 m



P-2000-20

<b>SecuraSpan™ Temporary Horizontal Lifeline Wire Cable Systems, up to 6 users (2 per span)</b>		
70007959672	7400120	6 m
70008287875	7400130	9 m
70007936290	7400140	12 m
70008287883	7400150	15 m
70007962155	7400160	18 m



SecuraSpan System

70007488128	7605061	<b>EZ-Line™ Retractable Horizontal Lifeline Wire Cable System, 18 m, up to 6 users (2 per span)</b>
-------------	---------	---

*Note: DBI-SALA® Engineered permanent horizontal lifeline systems and Sayflite™ post and base system also available.*

7605061



## 3M™ DBI-SALA® Anchor Straps

3M Order Code	Model #	Description
<b>Tie-Off Adaptor with Interlocking Rings</b>		
70007928834	E849-005	0.5 m
70007929196	E849-008	0.8 m
70007925731	E849-010	1 m
70007928909	E849-012	1.2 m
70007925566	E849-015	1.5 m
70007925574	E849-020	2 m

<b>Round Strap</b>		
70007925699	E87-006	0.6 m
70007930145	E87-010	1 m
70007926978	E87-012	1.2 m
70007930152	E87-015	1.5 m
70007929618	E87-020	2 m

<b>Flat Strap</b>		
7000794303	E88-006	0.6 m
70007952990	E88-012	1.2 m
70007927158	E88-015	1.5 m



E849-010



E87-020




E88-012

All DBI-SALA Anchor Straps Are RFID Enabled



### 3M™ Protecta® Anchor Straps

3M Order Code	Model #	Description
		<b>Dual Ring Tie-Off Adaptor</b>
70007442240	2190100	0.9 m
70007442257	2190101	1.2 m
70007442265	2190102	1.8 m
		<b>Tie-Off Adaptor with Interlocking Rings</b>
70007938429	AM500/150AU	1.5 m
		<b>Webbing Round Strap</b>
70007928198	AM450/120AU	1.2 m
0007938403	AM450/150AU	1.5 m



### 3M™ Protecta® Horizontal Systems

3M Order Code	Model #	Description
70007427167	1200101	<b>PRO-Line™ Temporary Horizontal Lifeline System</b> 18 m, webbing, up to 2 users



### 3M™ Protecta® Anchorage Devices

3M Order Code	Model #	Description
70007649455	2199938	<b>RailDog™ Hi-Vis Sliding Rail Anchor</b>
70007629580	AJ720A	Concrete anchor (includes mechanical fixings)
70007780839	AM210	Fixed anchorage plate
70007781571	AM211	Fixed anchoring ring



# B Body Harnesses

## 3M™ DBI-SALA® ExoFit STRATA™ Full-Body Harnesses

The safety harness that won't weigh you down.

Keeps your back cool

**Polarmesh™ Padding**  
Allows greater airflow to your back, providing superior breathability to keep you cool.

Unleashes your mobility

**Revolver™ Vertical Torso Adjuster**  
Easily stores excess webbing, locking it in place and out of your way while maintaining the perfect fit.

Memory Fit Web Lock

**Duo-Lok™ Quick Connect Buckles**  
Lightweight one-handed use, ensures fast, non-slipping connections.



### ExoFit STRATA™ Construction Harness


Ideal for the professional performing construction, rigging, ladder climbing and general height safety work where the use of a Personal SRL is used on a regular basis  
Front and rear Tech-Lite™ aluminium D-rings, EZ-Link™ quick SRL adapter, LIFTech™ load distribution system, Revolver™ vertical torso adjusters, Duo-Lok™ quick connect buckles, PolarMesh™ padding, wide padded lower back/ hip pad, waist belt, suspension trauma straps, confined space loops, impact indicator and REPEL™ technology webbing



3M Order Code	Model #	Description
70007949574	903S2018	Small
70007947321	903M2018	Medium
70007951422	903L2018	Large
70008291406	903XL2018	Extra Large

### ExoFit STRATA™ Utility Harness

Ideal for the professional performing work positioning, construction, rigging, ladder climbing and general height safety work where the use of a Personal SRL is used on a regular basis  
Front, rear and side Tech-Lite™ aluminium D-rings, EZ-Link™ quick SRL adapter, LIFTech™ load distribution system, Revolver™ vertical torso adjusters, Duo-Lok™ quick connect buckles, PolarMesh™ padding, wide padded lower back/ hip pad, waist belt, suspension trauma straps, confined space loops, impact indicator and REPEL™ technology webbing



3M Order Code	Model #	Description
70007947339	923S2018	Small
70007945663	923M2018	Medium
70007949616	923L2018	Large
70007953097	923XL2018	Extra Large

Harnesses need to fit correctly for optimum comfort, safety and productivity. 3M™ DBI-SALA® harnesses are available in small, medium, large and extra-large for a perfect fit every time.



## Secures your safety

Tech-Lite™ Aluminium Front, Dorsal & Side D-Rings

Maximise reliability without adding extra weight.

## Connects you quickly

Ez-Link™ Quick SRL Adapter

Simplifies connecting and disconnecting your personal self retracting lifeline.

## Frees your shoulders

Liftech™ Load Distribution System

Redistributes the weight from pressure points on your shoulders and spreads it out to the base of your hips.

## BONUS Storage Bag



### ExoFit STRATA™ Riggers Harness

Ideal for use as a professional general purpose harness in rigging, ladder climbing and confined space access work where the use of a Personal SRL is used on a regular basis

Front and rear Tech-Lite™ aluminium D-rings, Ez-Link™ quick SRL adapter, Revolver™ vertical torso adjusters, Duo-Lok™ quick connect buckles, PolarMesh™ padding, suspension trauma straps, confined space loops, impact indicator and REPEL™ technology webbing



3M Order Code	Model #	Description
AT010614892	903S2006	Small
70804414236	903M2006	Medium
AT010614884	903L2006	Large
AT010614900	903XL2006	Extra Large

# B Body Harnesses

## 3M™ DBI-SALA® ExoFit NEX™ Full-Body Harnesses

The ultimate full-body comfort harnesses.

Stand-Up  
Dorsal D-ring



Covered Labels  
and RFID  
equipped



Impact Indicator



Revolver™  
Vertical Torso  
Adjusters



Tech-Lite™  
Aluminium  
D-rings




Integrated  
Suspension  
Relief Straps



Reflective Material

Ultra-Soft Edging



Scan the QR Code to  
view our ExoFit NEX™  
range and support  
materials

Harnesses need to fit correctly for optimum comfort, safety and productivity. 3M™ DBI-SALA® harnesses are available in small, medium, large and extra-large for a perfect fit every time.



## Bonus

Harness storage back pack with every ExoFit NEX™ harness.



**\*30 Day Comfort Guarantee on all ExoFit NEX™ harnesses.**  
If you're not completely satisfied, return your ExoFit NEX™ harness within 30 days of purchase for a full refund.

# B Body Harnesses

## ExoFit NEX™ Riggers Harness

Ideal for use as a professional general purpose harness in rigging, ladder climbing and confined space access work

Front and rear Tech-Lite™ aluminium D-rings, Duo-Lok™ quick-connect buckles, Revolver™ vertical torso adjusters, non-slip hybrid comfort padding, suspension trauma straps, confined space retrieval/attachment points, impact indicator, REPEL™ technology webbing



3M Order Code	Model #	Description
70007925673	603S2018	Small
70007925467	603M2018	Medium
70007926127	603L2018	Large
70007926218	603XL2018	Extra Large

## ExoFit NEX™ Cross-Over Harness

Ideal for the professional performing roof construction, maintenance and ladder access work

Front and rear Tech-Lite™ aluminium D-rings, Duo-Lok™ quick-connect buckles, Revolver™ vertical torso adjuster, non-slip hybrid comfort padding, suspension trauma straps, impact indicator, REPEL™ technology webbing

Note: Ideal for women



3M Order Code	Model #	Description
70007946505	613S2016	Small
70007926655	613M2016	Medium
70007941803	613L2016	Large
70007936696	613XL2016	Extra Large

## ExoFit NEX™ Confined Space Harness

Ideal for the professional performing confined space access work, ladder access and rescue

Front, rear and side Tech-Lite™ aluminium D-rings, Duo-Lok™ quick-connect buckles, Revolver™ vertical torso adjusters, non-slip hybrid comfort padding, wide padded lower back/hip pad, suspension trauma straps, confined space retrieval/attachment points, impact indicator, REPEL™ technology webbing



3M Order Code	Model #	Description
70007929378	623S2018	Small
70007926010	623M2018	Medium
70007925798	623L2018	Large
70007925764	623XL2018	Extra Large

## ExoFit NEX™ Tower Workers Harness

Ideal for the professional performing pole work, rigging and work positioning

Front, rear and side Tech-Lite™ aluminium D-rings, Duo-Lok™ quick-connect buckles, Revolver™ vertical torso adjusters, wide padded lower back/hip pad, work positioning/suspension seat with tanged pole D-rings (can be secured out of the way for unhindered climbing), non-slip hybrid comfort padding, suspension trauma straps, impact indicator, REPEL™ technology webbing



3M Order Code	Model #	Description
70007935102	653S4016	Small
70007926366	653M4016	Medium
70007928917	653L4016	Large
70007943510	653XL4016	Extra Large

## ExoFit NEX™ Wind Energy Harness

Ideal for the professional wind tower worker, uniquely designed with specialised features for wind energy needs

Front and rear Tech-Lite™ aluminium D-rings, side D-rings, Duo-Lok™ quick-connect buckles, Revolver™ vertical torso adjuster, wide padded lower back/hip pad, removable tongue buckle waist belt, dorsal webbing and lumbar protectors, built in radio holster, tool D-rings, non-slip hybrid comfort padding, suspension trauma straps, impact indicator REPEL™ technology webbing



3M Order Code	Model #	Description
70007930723	603S4044	Small
70007930699	603M4044	Medium
70007943759	603L4044	Large
70007960613	603XL4044	Extra Large

## ExoFit NEX™ Suspension Harness with Chest Ascender

Ideal for the professional ascending working lines

Front, rear, side and abdominal Tech-Lite™ aluminium D-rings, integral chest ascender, Duo-Lok™ quick-connect buckles, padded lower back/hip pad, gear loops, non-slip hybrid comfort padding, REPEL™ technology webbing



3M Order Code	Model #	Description
70007928693	783S4010	Small
70007931101	783M4010	Medium
70007933883	783L4010	Large
70007948998	783XL4010	Extra Large

Also available: models with additional features suitable for specific industry applications



### ExoFit NEX™ Climbing Harness

Ideal for the professional performing rescue and emergency services, industrial rope access, abseiling and tower work. Front, rear, side and abdominal Tech-Lite™ aluminium D-rings, Duo-Lok™ quick-connect buckles, padded lower back/hip pad, tool & gear loops, non-slip hybrid comfort padding, REPEL™ technology webbing.



### ExoFit NEX™ Flotation Harness

Ideal for the professional requiring both fall and buoyancy protection in open or closed waters.

275N integral personal flotation device, rear stainless steel D-ring, front fall arrest loops, stainless steel quick-connect buckles, non-slip hybrid comfort padding, suspension trauma straps, impact indicator, REPEL™ technology webbing (also available with 300N MED/SOLAS personal flotation device).



3M Order Code	Model #	Description
70007939559	683S4016	Small
70007931937	683M4016	Medium
70007938502	683L4016	Large
70007947370	683XL4016	Extra Large

3M Order Code	Model #	Description
70008280318	603S1034	Small
70007936233	603M1034	Medium
70007941191	603L1034	Large
70007945168	603XL1034	Extra Large

### ExoFit NEX™ Suspension Harness

Ideal for the professional performing rescue and emergency services, industrial rope access, abseiling and tower work. Front, rear, side and abdominal Tech-Lite™ aluminium D-rings, Duo-Lok™ quick-connect buckles, padded lower back/hip pad, gear loops, non-slip hybrid comfort padding, REPEL™ technology webbing.



### ExoFit NEX™ Sit Harness

Ideal for the professional performing rescue and emergency services, industrial rope access and abseiling work. Side Tech-Lite™ aluminium D-rings, Duo-Lok™ quick-connect buckles, front belay loops, padded lower back/hip pad, tool & gear loops, non-slip hybrid comfort padding, REPEL™ technology webbing.



3M Order Code	Model #	Description
70007934402	783S4016	Small
70007931028	783M4016	Medium
70007927661	783L4016	Large
70007934469	783XL4016	Extra Large

3M Order Code	Model #	Description
70007955209	673S4002	Small
70007936738	673M4002	Medium
70007950556	673L4002	Large
70007958765	673XL4002	Extra Large

# B Body Harnesses

## 3M™ DBI-SALA® Delta™ Full-Body Harnesses



### REPEL™ Technology Webbing

Water repellent to reduce attraction of mould and dirt – up to 5 times more abrasion resistance.



### Quick-Connect Buckles

Offers one-handed operation and smooth adjustment.




### Easy Grip End Tabs and Keepers

For fast, efficient and secure web adjustment.


### Stand-Up Dorsal D-Ring

Patented spring-loaded design automatically stands up ensuring fast, easy and safe connections to your fall arrest system.



### Impact Indicator

Rip-stitch indicator allows the user to quickly and easily inspect the harness for impact loading.



### Label Pack


Laminated PVC labels resistant to abrasion, UV, ambient heat, water and a wide range of chemicals. Features permanent indented print of critical product information ensuring it remains visible for the life of the harness.



### RFID equipped

Helps track equipment and manage safety inspection programs.

**Bonus**  
Harness  
storage bag  
with every  
Delta™ harness



Scan the QR Code  
to view our Delta™  
range and support  
materials

## Delta™ Riggers Harness

**Ideal for use in rigging, confined space, ladder access and general height safety**

Large rear fall arrest rated stand-up D-ring, front fall arrest rated D-ring, confined space/retrieval attachment points, quick-connect buckles, corrosion resistant hardware, fully adjustable, REPEL™ technology webbing



3M Order Code	Model #	Description
70007926416	803S0018	Small
70007925822	803M0018	Medium
70007925707	803L0018	Large
70007925046	803XL0018	Extra Large

## Delta™ Cross-Over Harness

**Ideal for use in roof construction, maintenance and ladder access work**

Large rear fall arrest rated stand-up D-ring, front fall arrest D-ring, quick-connect buckles, corrosion resistant hardware, fully adjustable, REPEL™ technology webbing

*Note: Ideal for women*



3M Order Code	Model #	Description
70007934378	813S0016	Small
70007932083	813M0016	Medium
70007925251	813L0016	Large
70007946752	813XL0016	Extra Large

## Delta™ All Purpose Harness

**Ideal for use in multi purpose access including confined space entry, rigging, ladder access work and work positioning at height**

Large rear fall arrest rated stand-up D-ring, front fall arrest rated D-ring, confined space/retrieval attachment points, padded waist belt with side D-rings, quick-connect buckles, corrosion resistant hardware, fully adjustable, REPEL™ technology webbing



3M Order Code	Model #	Description
70007930806	823S0018	Small
70007925855	823M0018	Medium
70007925616	823L0018	Large
70007927141	823XL0018	Extra Large

## Delta™ Tower Workers Harness

**Ideal for use by telecommunications and power industry personnel when working on towers and poles**

Large rear fall arrest rated stand-up D-ring, frontal fall arrest/belay loops, confined space/retrieval attachment points, padded waist belt with side D-rings, pole/restraint D-rings, quick-connect buckles, corrosion resistant hardware, fully adjustable, REPEL™ technology webbing



3M Order Code	Model #	Description
70007936365	853S0018	Small
70007925160	853M0018	Medium
70007928818	853L0018	Large
70007932042	853XL0018	Extra Large

## Delta™ Miners Harness

**Ideal for use by mining industry personnel for use with battery packs and self rescuers**

Large rear fall arrest rated stand-up D-ring, front fall arrest rated D-ring, confined space/retrieval attachment points, integral miners belt with battery and self rescue straps, reflective tape, suspension trauma straps, quick-connect buckles, corrosion resistant hardware, fully adjustable, REPEL™ technology webbing



3M Order Code	Model #	Description
70007947362	823S0035	Small
70007934790	823M0035	Medium
70007929410	823L0035	Large
70007932737	823XL0035	Extra Large

## Delta™ Live Line Harness

**(Resistant to electrical conductivity)\***

**Ideal for use when working on high and low voltage live lines from an EWP vehicle**

Rear fall arrest rated webbing loop with integrated dorsal extension, frontal fall arrest/belay loops, confined space retrieval/attachment points, leather insulators, no metal hardware above the waist, quick-connect buckles, corrosion resistant hardware, fully adjustable, REPEL™ technology webbing

*\*No metal hardware above the waist*



3M Order Code	Model #	Description
70007937165	803S0009	Small
70007935292	803M0009	Medium
70007937082	803L0009	Large
70007937090	803XL0009	Extra Large

**Also available: models with additional features suitable for specific industry applications**

# B Body Harnesses

## Delta™ Riggers Comfort Harness

Ideal for use in rigging, confined space, ladder access and general height safety

Large rear fall arrest rated D-ring, front fall arrest rated D-ring, confined space retrieval attachment points, quick connect buckles, aluminium hardware, fully adjustable, REPEL™ technology webbing, built-in shoulder, back and leg comfort padding



## Delta™ Cross-Over Comfort Harness

Ideal for use in roof construction, maintenance and ladder access work

Large rear fall arrest rated D-ring, front fall arrest rated D-ring, quick-connect buckles, corrosion resistant hardware, fully adjustable, REPEL™ technology webbing, built-in shoulder, back and leg comfort padding

*Note: Ideal for women*



3M Order Code	Model #	Description
70007937728	833S2018	Small
70007927455	833L2018	Large
70007931218	833M2018	Medium
70007935573	833XL2018	Extra Large

3M Order Code	Model #	Description
70007943221	843S2016	Small
70007950911	843L2016	Large
70007935714	843M2016	Medium
70007935722	843XL2016	Extra Large

## Delta™ Welders Harness\*

Ideal for use in 'Hot Work' and arc flash environments  
Rear stand-up D-ring, front fall arrest rated loops, confined space loops, Nomex®/Kevlar® fibre webbing, dielectric hardware

*\*Arc flash, flame, heat and cut resistant*

3M Order Code	Model #	Description
70007932851	320S2066NK	Small
70007927729	320M2066NK	Medium
70007930459	320L2066NK	Large
70007945218	320XL2066NK	Extra Large

Nomex® and Kevlar® are registered trademarks of E.I. du Pont de Nemours and Company



Note: Specially designed Welders Lanyards are also available to complement/use with this harness.

## Delta™ BA Rescue/Escape Harness

Ideal for use with rescue/escape breathing apparatus equipment

Large rear fall arrest rated D-ring, front fall arrest rated D-ring, confined space/retrieval attachment points, quick-connect buckles, stainless steel hardware, air line attachment straps, rear BA pigtail connection strap, fully adjustable, REPEL™ technology webbing.

*Note: Hip mounted escape cylinder bag to be supplied by customer for attachment to harness*

3M Order Code	Model #	Description
70008288378	823S1050	Small
70007964128	823M1050	Medium
70008288360	823L1050	Large
70008288394	823XL1050	Extra Large



*For illustrative purposes only. Breathing Apparatus not included.*

## Delta™ BA Harness

Ideal for Use with large cylinder breathing apparatus equipment

Dorsal extension with large fall arrest rated D-ring, front fall arrest rated D-ring, confined space/retrieval attachment points, quick-connect buckles, waist belt with side D-rings, stainless steel hardware, wide padded lower back/hip pad, shoulders, back and waist protection pad with tank attachment straps, fully adjustable, REPEL™ technology webbing.

3M Order Code	Model #	Description
70008288386	823S1051	Small
70007952602	823M1051	Medium
70007950820	823L1051	Large
70008288402	823XL1051	Extra Large




*For illustrative purposes only. Breathing Apparatus not included.*

Also available: models with additional features suitable for specific industry applications

## 3M™ DBI-SALA® Fall Protection Kits

Suited for specific worker applications, our kits include all the necessary components of the ABC of fall protection to ensure worker safety.


3M Order Code	Model #	Description
70007939849	1900-0002	<b>Cherry Pickers Kit</b> , includes: Delta™ 321M-0018 Riggers Harness with adjustable integral EZ-Stop™ lanyard, 1900-0000 Equipment / Kit Bag
70007930988	1900-0004	<b>Construction Workers Kit</b> , includes: Delta™ 380M-0018 All Purpose Harness, 3101000 2.4 m Talon™ SRL's, Z90203636 EZ-Stop™ 2.0 m Lanyard, E849-015 Tie-Off Adaptor, 1900-0000 Equipment / Kit Bag. <i>Also available with small, large or extra large harness.</i>
70007928529	1900-0005	<b>Professional Roof Workers Kit</b> , includes: Delta™ 360M-0016 Roof Workers Harness, Z90103636 EZ-Stop™ 1.0 m Lanyard, P6711-015-36-58 15 m Rope and Rope Grab, R-105-S Screw Gate Karabiner, E849-015 Tie-Off Adaptor, 1900-0000 Equipment / Kit Bag. <i>Also available with small, large or extra large harness.</i>
70007948238	1900-0027	<b>Professional Roof Workers Kit without harness</b> , includes: Z90103636 EZ-Stop™ 1.0 m Lanyard, P6711-015-36-58 15 m Rope and Rope Grab, R-105-S Screw Gate Karabiner, E849-015 Tie-Off Adaptor, 1900-0000 Equipment / Kit Bag
70007947479	1900404M	<b>Exofit Nex™ Mine Utility Kit, Medium</b> , includes: 603M1021 ExoFit NEX™ Riggers Utility Harness with dorsal extension, E404M Mine Utility Belt, 1900-0000 Equipment / Kit Bag. <i>Also available with small, large or extra large harness.</i>



## 3M™ DBI-SALA® Miners Belts

3M Order Code	Model #	Description
70007928412	E100M-0051	Medium, with rear D-ring, battery pack and self rescue straps with velcro, reflective tape on rear
70007937843	E100M-0179	Medium, with rear D-ring, fixed braces, battery pack and self rescue straps with velcro, reflective tape on front and rear
70007939047	E100M-0837	Medium, with 2 front D-rings, detachable braces, battery pack and self rescue straps, reflective tape on front and rear
70007942058	E112M-0033	Medium, with detachable battery pack and self rescue straps, 2 front D-rings, reflective tape along entire length of belt
70007939104	E404M	Mine Utility Belt, Medium, with wide cushioned body pad, leather tongue buckle adjustment/closure, PVC coated battery and self rescuer attachment strap, fluorescent webbing and harness locating attachment/detachment straps. Specially designed to fit and be used in conjunction with the ExoFit NEX™ & Delta™ Riggers Utility Harness

Note: Miners belts are available in small, medium, large and extra large sizes.



Also available: Other mining belt models with additional features suitable for specific industry applications

# B Body Harnesses

## 3M™ Protecta® Pro Harnesses



### Pro Riggers Harness

Ideal for rigging, rescue, construction, elevated work platforms, work positioning, ladder access work, confined space access and general height safety. Front & rear fall arrest rated D-ring, confined space retrieval/attachment points, easy adjust hardware, sub-pelvic strap, adjustable chest, shoulder & leg straps.

3M Order Code	Model #	Description
70007951984	AB123S	Small
70007950937	AB123M	Medium
70007951695	AB123L	Large
70007953014	AB123XL	Extra Large



### Pro Riggers Harness with Adjustable Integral Lanyard & Scaffold Hook

3M Order Code	Model #	Description
70804400680	AB126-34S	Small
70804400672	AB126-34M	Medium
70804400664	AB126-34L	Large
70804400698	AB126-34XL	Extra Large



### Pro Riggers Harness with Adjustable Integral Lanyard & Snap Hook

3M Order Code	Model #	Description
70804400706	AB126-36S	Small
70008280060	AB126-36M	Medium
70007952867	AB126-36L	Large
70804400714	AB126-36XL	Extra Large



### Pro Scaffolders Harness

Ideal for scaffolding, rigging, rescue, construction, ladder access work, roof work and general height safety. Front & rear fall arrest rated D-ring, confined space retrieval/attachment points, easy adjust hardware, sub-pelvic strap, padded heavy duty comfort tool belt, adjustable chest, shoulder & leg straps.

3M Order Code	Model #	Description
70804400649	AB125S	Small
70007950945	AB125M	Medium
70008280417	AB125L	Large
70804400656	AB125XL	Extra Large



### Pro All Purpose Harness

Ideal for use in multi purpose applications including confined space entry, rigging, construction, ladder access work, positioning and general height safety. Front & rear fall arrest rated D-ring, confined space retrieval/attachment points, easy adjust hardware, sub-pelvic strap, integrated shoulder & lower back/hip pads, adjustable chest, shoulder & leg straps.

3M Order Code	Model #	Description
70008280474	AB124S	Small
70007950929	AB124M	Medium
70007952594	AB124L	Large
70007953048	AB124XL	Extra Large



### Pro Welders Harness

Ideal for use during welding, cutting, electrical maintenance and other high temperature 'Hot Work' applications. Large rear fall arrest rated D-ring, Front fall arrest rated D-ring, Pass-thru buckles on chest and leg straps, Durable polyester Kevlar® fibre webbing construction.

Kevlar® is a registered trademark of E.I. du Pont de Nemours and Company

3M Order Code	Model #	Description
70804400805	AB128S	Small
70007952966	AB128M	Medium
70804400797	AB128L	Large
70008280029	AB128XL	Extra Large



### Pro Tower Workers Harness

Ideal for Use in linesman/tower work, and industries where a harness must be used for climbing, suspension, positioning or rescue. Front & dorsal fall arrest rated D-ring, pelvic strap, confined space retrieval/attachment points, adjustable waist belt, leg, shoulder & chest straps, side D-rings, tool loops, integral dorsal extension, pole / restraint side attachment points, work positioning buttock seat, wide padded lower back pad

3M Order Code	Model #	Description
70804400813	AB129-2S	Small
70007952859	AB129-2M	Medium
70007951976	AB129-2L	Large
70804400821	AB129-2XL	Extra Large



### Pro Riggers Harness with Elasticated Integral Lanyard & Snap Hook

3M Order Code	Model #	Description
70804400771	AB127-36S	Small
70804400763	AB127-36M	Medium
70804400755	AB127-36L	Large
70804400789	AB127-36XL	Extra Large



### Pro Riggers Harness with Elasticated Integral Lanyard & Scaffold Hook

3M Order Code	Model #	Description
70804400730	AB127-34S	Small
70007952982	AB127-34M	Medium
70804400722	AB127-34L	Large
70804400748	AB127-34XL	Extra Large



## 3M™ Protecta® First™ Harnesses

The First range of fall protection products by Protecta offers straightforward fall protection equipment at an affordable price, ideal for first time or occasional users of height safety equipment.



### Fall Arrest Harness

Ideal for general maintenance and construction work  
Rear fall arrest rated D-ring, front fall arrest loops, adjustable leg straps, adjustable chest strap, pelvic strap for added security

3M Order Code	Model #	Description
70007925806	AB17510AU	Medium



### Fall Arrest Harness with Integral Adjustable Lanyard

Ideal for cherry pickers and other elevated work platforms (EWP)  
Rear fall arrest rated D-ring, front fall arrest loops, integral adjustable rear lanyard with shock absorber, adjustable leg straps, adjustable chest strap, pelvic strap for added security

3M Order Code	Model #	Description
70007925624	AB17510/36AU	Medium

## 3M™ Protecta® Fall Protection Kits

3M Order Code	Model #	Description
70007928479	AA400AU	<b>Pro Roof Workers Kit</b> Pro Climbing Harness (AB123M), 15 m kernmantle rope lifeline with 0.55 m integral shock absorbing lanyard, 1.5 m tie-off adaptor anchor strap (AM500/150AU), backpack storage bag
70007925012	AA1000AU	<b>First™ Roof Workers Kit</b> First Fall Arrest Harness (AB17510AU), 15 m kernmantle rope lifeline with 1 m integral shock absorbing lanyard, 1.5 m round anchor strap (AM450/150FAU), packed in a rugged re-useable carry bucket
70007930384	AA410AU	<b>Pro Construction Workers Kit</b> Pro Climbing Harness (AB123M), 3.3 m Rebel Personal SRL (3100447), 1.5 m round anchor strap (AM450/150AU), backpack storage bag
70007929576	AA1020AU	<b>First™ Construction Workers Kit</b> First Fall Arrest Harness (AB17510AU), 1.8 m Rebel Personal SRL (3100445), 1.5 m round anchor strap (AM450/150FAU), packed in a rugged re-useable carry bucket



## 3M™ Protecta® Miners Belts

PVC coated detachable battery pack and self rescue straps, reflective tape, single rear D-ring, double D-ring at front and padded waist pad


3M Order Code	Model #	Description
70007946158	AB001AU	Belt model
70007945556	AB002AU	Belt with integral crossover shoulder straps



# C Connectors

## 3M™ DBI-SALA® Karabiners

3M Order Code	Model #	Description
70007925020	R-105-S	<b>Double Action Screw Gate</b> 18 mm gate opening 18 mm gate opening with captive eye 26 mm gate opening, 16 kN
70007927372	R-105-S-CE	
70007928057	R-517	
70007928776	R-308	<b>Double Action Autolock</b> 14 mm gate opening with captive eye 20 mm gate opening with captive eye, 16 kN
70007925079	2000117	
70007928651	2000114	54 mm gate opening with captive eye, 16 kN
70007931879	2000184	<b>Triple Action Autolock</b> 18 mm gate opening with captive eye (aluminium), 16 kN
70007957502	8700552	
<i>This product is manufactured to be permanently attached to spliced or webbing lanyards and other height safety products and is not sold separately.</i>		
70007926986	R-113	20 mm gate opening with captive eye, 16 kN
70007930558	R-119	20 mm gate opening with captive eye (stainless steel), 16 kN



Triple Action Connectivity



## 3M™ DBI-SALA® Snap Hooks

3M Order Code	Model #	Description
70007942272	2000161	19 mm gate opening, 16 kN
70007954749	9502116	19 mm gate opening, 16 kN
70007964169	9505253	19 mm gate opening (stainless steel), 16 kN
70007954756	9505254	19 mm gate opening (steel gate and aluminium body), 16 kN
70007609228	9501804	20 mm gate opening (specifically designed for tie-back use), 16 kN
70007956264	2000183	Triple action, 20 mm gate opening, 16 kN
70007964862	2000168	21 mm gate opening (steel gate and aluminium body), 16 kN



Triple Action Connectivity

## 3M™ DBI-SALA® Scaffold Hooks

3M Order Code	Model #	Description
70007963542	9502058	59 mm gate opening (steel gate and aluminium body), 16 kN
70007955068	2000182	Triple action, 63.5 mm gate opening (steel gate and aluminium body), 16 kN
70007442133	2109193	65 mm gate opening, 16 kN
70007449658	2000125	87 mm gate opening, 16 kN
70007935623	H202	110 mm gate opening



The snap hooks and scaffold hooks, except H202, featured on this page are manufactured to be permanently attached to spliced or webbing lanyards and other height safety products and are not sold separately.

### 3M™ DBI-SALA® Rope Grabs & Lifelines



3M Order Code	Model #	Description
70007934055	E711-015-36-58	<b>Lifeline Assembly</b> 15 m system, 11 mm Kernmantle rope lifeline with sewn thimble eye, snap hook at one end and sewn end stop on the other <b>Also available:</b> 20, 25, 30 and 50 m system lengths
70007927182	P6711-015-36-58	<b>Lifeline with Integral Manual Rope Grab (horizontal / angle work)</b> 15 m system, 11 mm Kernmantle rope lifeline with sewn thimble eye, snap hook at one end and sewn end stop on the other, and a non-removable manual rope grab <b>Also available:</b> 20, 25, 30 and 50 m system lengths
70007931903	P67110153658Z	<b>Lifeline with Integral Manual Rope Grab and shock absorbing lanyard (horizontal / angle work)</b> 15 m system, 11 mm Kernmantle rope lifeline with sewn thimble eye, snap hook at one end and sewn end stop on the other, and a non-removable manual rope grab fitted with a shock absorbing lanyard <b>Also available:</b> 20, 25, 30 and 50 m system lengths
70007926960	AC202/02AU	<b>Cobra Automatic Rope Grab (horizontal / vertical work)</b> Includes karabiner and integral shock pack, for use on 12-14 mm 3 strand rope or 11-13 mm kernmantle rope
70007956975	AC202/03AU	<b>COBRA Automatic Rope Grab (for vertical/horizontal use)</b> Includes triple action stainless steel karabiner and integral shock pack, for use on 12-14 mm 3 strand rope or 11-13 mm kernmantle rope



P6711-015-36-58



AC202/02AU



See page 39 for Rope-Safe™ Technical Rescue Rope Grabs that are also ideal for use in industrial applications

### 3M™ DBI-SALA® Vertical Systems

3M Order Code	Model #	Description
70007928578	LS-B	<b>Lad-Saf™ Kits</b> Bolt on system, galvanised
70007928511	LS-W	Weld on system, galvanised <b>Also available:</b> stainless steel models
70007484242	6160052	<b>Lad-Saf™ Sleeve</b> Lad-Saf X3+ Detachable Cable Sleeve

#### Also available:

- Specialty Lad-Saf™ climb assist systems
- Railok™ 90 rail systems



Lad-Saf™ System

### 3M™ DBI-SALA® Pole Straps

3M Order Code	Model #	Description
70007927653	E601-020	<b>Webbing</b> 2 m Pole Strap with Double Action Snap Hooks & Friction Adjuster <b>Also Available:</b> 2.5 m and 3 m
70007928008	E613-B-020-56-56	2 m Pole Strap with Light Weight Aluminium Double Action Snap Hooks & Friction & Adjuster Plate <b>Also Available:</b> 2.5 m and 3 m
70007934550	E613RPY0250909	2.5 m REPEL™ Pole Strap with REPEL™ Technology Webbing, Double Action Trigger Snap Hooks and Friction & Adjuster Plate <b>Also Available:</b> 3 m and 3.5 m
70007941134	E850-3.0M	<b>Wire</b> 3 m Wire Core Pole Strap with Rope Grab & Double Action Snap Hook <b>Also Available:</b> 4 m
70007927687	E90252559	<b>Rope</b> 2 m Rope Pole Strap with lightweight rope grab adjuster and R-119 stainless steel triple action karabiners on both ends <b>Also Available:</b> 2.5 m and with a range of end fittings



E601-020



E613-B-020-56-56



E613RPY0250909



E850-3.0M



E90252559

Latch Protection Devices (LPD) are standard on all DBI-SALA® Webbing Pole Straps



# C Connectors

## 3M™ DBI-SALA® EZ-Stop™ Shock Absorbing Lanyards

3M Order Code	Model #	Description
70007925376	ZP67110204560X	<b>Kernmantle Rope</b> Single tail, adjustable, 2.0 m overall length
70007926887	Z51203636	<b>Webbing</b> Single tail, adjustable 2.0 m overall length
70007933925	Z51204545	Single tail, adjustable, 2.0 m overall length
70007928750	Z90203634E	Single tail, elasticated 2.0 m overall length
70007927133	Z60203634E	Double tail, elasticated rope 2.0 m overall length



Z51203636



ZP67110204560X



Z51204545



Z90203634E



Z60203634E

## 3M™ DBI-SALA® Force2™ Shock Absorbing Lanyards

All DBI-SALA Force2 shock absorbing lanyards are available in either single or double tail configurations constructed from webbing, wire or rope in a variety of styles (elasticated, non-elasticated, adjustable and tie-back), and are available with a wide combination of hook & karabiner terminations to suit your specific needs and applications. Contact us for more information.

3M Order Code	Model #	Description
70007925608	Z11200909	Single tail adjustable 0, 2.0 m overall length
70007925418	Z12202519E	Twin tail, elasticated, 2.0 m overall length
70007949277	Z10202572WB	WrapBax™ Tie-Back, Single tail, 2.0 m overall length
70007931960	Z10200909R	Single tail, 2.0 m overall length
70007925889	Z12202519R	Twin tail, 2.0 m overall length
70007927190	Z13206129R	Twin tail, adjustable, 2.0 m overall length
70007929956	Z11204545CR	Cut resistant, Single tail, 2.0 m overall length
70007939757	Z10204545WR	Single tail, 2.0 m overall length

### Webbing Range

#### Single tail lanyard

Available in either flat webbing (adjustable or non adjustable), or elasticated webbing variants.



Z11200909

### Cable Range

#### Single tail lanyard

Available in single or twin tail variants.



Z10204545WR

### Rope Range

#### Single tail lanyard



Z10200909R

#### Twin tail lanyards



Z12202519R

### Specialty Range

#### Wind Energy Rescue Lanyard

Incorporating rescue D-rings and heavy duty wear pads, this lanyard has been specifically designed and developed to meet the demands of the wind energy industry.



Z60200919EW

#### Live Line Lanyards

Specifically designed for use when working on high and low voltage lines from an EWP vehicle to resist electrical conductivity.



Z95170945RP



All double tail lanyards are supplied with E839 lanyard stowage points.





### Twin tail lanyards

Available in either flat webbing (adjustable or non adjustable), or elasticated webbing variants.



Z12202519E

### WrapBax™ Tie-back lanyards

Available in flat webbing in either single or twin tail variants.



Z10202572WB

## Force2 Features

- Smallest shock absorber in the world 66% smaller\* & 40% lighter\*
- Expanded range of connectors for all industry applications and demands
- Lightest & strongest connector combinations on the market
- REPEL™ Technology webbing
- Shock absorber includes HI-10™ high tenacity fiber energy management material
- Protected labels
- RFID equipped
- All new triple action snap & scaffold hooks
- 16 kN gate strength on all hooks/karabiners

\*Compared to Previous Force2 models

### Adjustable lanyards

Available in single or twin tail variants.



Z13206129R

### Cut resistant lanyards

Available in either single or twin tail adjustable variants.



Z11204545CR

### Welders Lanyards

High temperature lanyards constructed from Nomex®/Kevlar® fibre webbing, ideal if you are welding, cutting or grinding, or in a potentially explosive or high-voltage electrical environment.



Z90200909NKE

### Resist Lanyard

Coated with an extruded polyurethane coating to provide superior protection against grease, oil, paint, dirt and grime; ideal for use in the petrochemical and painting industries.



Z91200909

Nomex® and Kevlar® are registered trademarks of E.I. du Pont de Nemours and Company

If a dorsal extension is part of your harness the maximum lanyard assembly permitted is 1.7 m or less.

# C Connectors



## 3M™ DBI-SALA® Nano-Lok™ Self Retracting Lifeline

Single or twin leg harness interface connector, cab mount or karabiner

360° swiveling anchorage loop

Impact-resistant housing

Automatic quick-activating arrestor

Impact indicator

Retractable lifeline

RFID equipped

Triple action karabiner, snap or scaffold hook with 16 kN gate strength



### 3M™ DBI-SALA® Nano-Lok™ Self Retracting Lifelines

3M Order Code	Model	Description
70007455226	3101330	1.8 m single webbing lifeline with quick connector anchorage connection and steel snap hook <b>Also available:</b> with stainless steel or swivel snap hook
70007444188	3101331	1.8 m single webbing lifeline with quick connector anchorage connection and aluminium scaffold hook <b>Also available:</b> with steel scaffold hook
70007444212	3101336	1.8 m single webbing lifeline with cab mount anchorage connection and steel swivel snap hook
70007455234	3101339	1.8 m Single webbing lifeline with steel triple action karabiners <b>Also available:</b> with stainless steel triple action karabiners
70007931986	3101342	1.8 m single webbing lifeline with steel triple action karabiner connection and steel scaffold hook on lifeline <b>Also available:</b> with stainless steel triple action karabiner and aluminium scaffold hook
70804430034	3101343	1.8 m single webbing lifeline with quick connector anchorage connection and steel triple action karabiner
70007455242	3101345	1.8 m twin webbing lifelines with quick connector anchorage connection and two steel scaffold hooks <b>Also available:</b> with aluminium scaffold hook



### 3M™ DBI-SALA® Nano-Lok™ Extended Length Self Retracting Lifelines

3M Order Code	Model #	Description
70007456174	3101615	3.4 m webbing lifeline with snap hook and quick connector for direct harness mounting
70007446944	3101644	2.8 m webbing lifeline with scaffold hook and quick connector for direct harness mounting



### 3M™ DBI-SALA® Nano-Lok™ Self Retracting Lifelines for Hot Work Use

Reinforced webbing lifelines constructed from Nomex®/Kevlar® fibre webbing to withstand sparks, weld splatter and other high heat exposure. Ideal for Welding, Grinding and High Heat Applications.

3M Order Code	Model #	Description
70007445680	3101523	1.8 m single Nomex®/Kevlar® fibre webbing lifeline with steel snap hook, karabiner harness connector
70007445672	3101521	1.8 m, single Nomex®/Kevlar® fibre webbing lifeline with steel scaffold hook, quick connector for direct harness mounting
70007455838	3101524	1.8 m, twin Nomex®/Kevlar® fibre webbing lifelines with steel scaffold hooks, quick connector for direct harness mounting



Nomex® and Kevlar® are registered trademarks of E.I. du Pont de Nemours and Company

# 3M™ DBI-SALA® Nano-Lok™ LE Self Retracting Lifeline

Easy-to-install  
connector

Tough and  
flexible  
webbing or  
galvanised  
cable lifelines

Integrated,  
backpack-style  
energy absorber

Impact-resistant  
housing

Sharp edge  
icon



Hook or  
karabiner  
options

## 3M™ DBI-SALA® Nano-Lok™ LE Self Retracting Lifelines

3M Order Code	Model #	Description
70007951729	3101639-75	2.4 m single webbing lifeline, steel triple action karabiner
70007446902	3101638	2.4 m single webbing lifeline, steel snap hook
70007455689	3101488	2.4 m single webbing lifeline, aluminium scaffold hook
70007462875	3500254	2.4 m single cable lifeline, steel snap hook
70007940938	3101641-75	2.4 m twin webbing lifelines, steel triple action karabiners
70007446910	3101640	2.4 m twin webbing lifelines, aluminium scaffold hooks
70007456471	3500255	2.4 m twin cable lifelines, aluminium scaffold hooks



3101639-75



3101638



3101488



3500254



3101641-75



3101640



3500255



Scan the QR Code to view our  
NANO-LOK™ LE range and  
support materials.  
Alternatively visit:  
[3M.com.au/FallProtection](http://3M.com.au/FallProtection) or  
contact us for more information

### RFID equipped

Helps track equipment  
and manage safety  
inspection programs.



3M™ DBI-SALA® Ultra-Lok™ SRL's

Rugged, lightweight and superbly engineered. The professional's choice.


3M Order Code	Model #	Description
70007447116	3103107	3.4 m webbing lifeline <b>Also available:</b> 6 m
70007456570	3504430	10 m galvanised cable lifeline <b>Also available:</b> 6 m and 15 m with either triple action Karabiners ideal for use in mining or swivel snap hook <b>Ultra-Lok™ RSQ SRL</b>
70007463279	3504555	15 m stainless steel cable lifeline and swivel snap hook, dual mode SRL's with rescue function (assisted rescue tool and First-Man-Up™ pole available separately if required)



Impact indicating snap hooks and karabiners provide a visual indication of fall arrest. Available on all DBI-SALA Ultra-Lok and Sealed cable lifeline SRL's models, and select Nano-Lok webbing SRL's.

3M™ Protecta® Karabiners

3M Order Code	Model #	Description
70007780581	AJ514	Double action, auto-lock, 16 mm opening
70007925020	R-105-S	Double action, screw gate, 18 mm opening
70007927372	R-105-S-CE	Double action, screw gate, 18 mm gate opening with captive eye
70007780649	AJ593	Double action, auto-lock, 50 mm opening



3M™ Protecta® Hooks

3M Order Code	Model #	Description
70007942272	2000161	Double action, snap hook, 19 mm gate opening
70007929550	07153	Double action, scaffold hook, 61 mm opening
70007937918	AJ592	Double action, anchor hook, 89 mm opening (Sold separately)

*\*These hooks are manufactured to be permanently attached to spliced or webbing lanyards and other height safety products and are not sold separately.*



## 3M™ DBI-SALA® Sealed-Blok SRL's



Sealed design makes it ideal for working in even the harshest of environments.

All Sealed-Blok Self Retracting Lifelines feature and ergonomic integral carrying handle and anchorage karabiner


3M Order Code	Model #	Description
70007450631	3400805	9 m stainless steel cable lifeline with stainless steel swivel snap hook
70007459541	3400806	9 m galvanised cable lifeline with swivel triple action karabiner
70007460077	3400950	15 m galvanised cable lifeline with swivel snap hook
70007460085	3400951	15 m stainless steel cable lifeline with stainless steel swivel snap hook
70007459772	3400866	25 m galvanised cable lifeline with swivel snap hook
70007459780	3400867	25 m stainless steel cable lifeline with stainless steel swivel snap hook
70007452074	3400971	40 m galvanised cable lifeline with swivel snap hook
70007452082	3400972	40 m stainless steel cable lifeline with stainless steel swivel snap hook



### 3M™ DBI-SALA® Fast-Line™ Lifeline Replacement Solution

FAST-Line™ allows the lifeline assembly to be replaced in the field by trained users in 4 easy steps

Contact your 3M Fall Protection Specialist for more information



## 3M™ DBI-SALA® Load Arrestors


3M Order Code	Model #	Description
70007939997	3700300	12 m of galvanised cable, 300 kg load rating
70008284336	3700400	8 m of galvanised cable, 400 kg load rating
70007955027	3700501	5 m of galvanised cable, 500 kg load rating
70007964888	3700801	4 m of galvanised cable, 800 kg load rating



3700300

## 3M™ DBI-SALA® SRL Accessories

3M Order Code	Model #	Description
70007933040	Z6	Shock absorbing unit for leading edge work
70007491528	8102102	Power Tagline System. Provides remote access to overhead mounted SRL's



Z6



8102102

SRL and Beam Trolley not included

## 3M™ Protecta® Rope Grabs & Lifelines



3M Order Code	Model #	Description
70007780706	AC202	Cobra Rope Grab - suits 12-14 mm 3 strand rope only (horizontal/vertical work)
70007949103	AC3000/10	10 m Cabloc Vertical Lifeline Kit
70007781688	AC400	Viper Rope Grab - suits 10.5-11 mm kernmantle rope only (horizontal work)
70007942264	AC415AU	15 m system, 11 mm kernmantle rope lifeline, karabiner, sewn thimble eye and sewn end stop
		<b>Also available:</b> AC420AU (20 m) system, AC425AU (25 m) system, AC430AU (30 m) system
70007929683	AC415MAU	15 m system, 11 mm kernmantle rope lifeline assembly system with integral manual rope grab, karabiner, sewn thimble eye and sewn end stop
		<b>Also available:</b> AC420MAU (20 m) system, AC430MAU (30 m) system
70007928495	AC415MBAU	15 m system, 11 mm kernmantle rope lifeline assembly system with integral manual rope grab and shock absorbing lanyard, karabiners, sewn thimble eye and sewn end stop
		<b>Also available:</b> AC420MBAU (20 m) system, AC430MBAU (30 m) system



AC202



AC400



AC415MBAU




See page 39 for Rope-Safe™ Technical Rescue Rope Grabs that are also ideal for use in industrial applications

# C Connectors

## 3M™ Protecta® Rebel™ Self Retracting Lifelines

### Absolute Confidence, Total Compliance



All Rebel™ Self Retracting Lifelines come complete with connecting karabiners on housing:



All Rebel™ SRL's Mining Specific models feature triple action karabiners on anchorage and lifeline connectors

### 3M™ Protecta® Rebel™ Personal Self Retracting Lifelines complete with connecting karabiner on housing

3M Order Code	Model #	Description
70007443099	3100445	1.8 m, webbing, triple action karabiner
70007454393	3100447	3.3 m, webbing
70007454401	3100448	6 m, webbing
70007464855	3590025	4.5 m, galvanised cable (for hot work use)

### 3M™ Protecta® Rebel™ Self Retracting Lifelines complete with connecting karabiner on housing and swiveling fall indicator snap hook

3M Order Code	Model #	Description
70007458675	3590520	6 m, galvanised cable, thermoplastic housing
70007464996	3590521	10 m, galvanised cable, thermoplastic housing
70007460440	3590570	15 m, galvanised cable, thermoplastic housing
70007460549	3590610	20 m, galvanised cable, thermoplastic housing
70007460622	3590690	30 m, galvanised cable, thermoplastic housing
		<b>Also available:</b> with stainless steel cable and aluminium housing.
		Mine spec models also available featuring triple action karabiners on housing and swivel impact indicating karabiners on lifeline.

Also available.

### Rebel™ Retrieval SRL

See page 33.



## 3M™ Protecta® Pro Shock Absorbing Lanyards



3M Order Code	Model #	Description
70007925442	AE529/3AU	Single tail, 2 x snap hooks, 2.0 m
70007927414	AE529/13AU	Single tail, 2 x snap hooks, 1.5 m
70007926721	AE529/25AU	Single tail, 1 x snap hook, 1 x karabiner, 1.0 m
70007940599	AE529E/3AU	Single tail, elasticated, 2 x snap hooks, 2.0 m
70007926879	AE529EY/5AU	Double tail, elasticated, 1 x snap hook, 2 x scaffold hooks, 2.0 m
70007927315	AE529Y/5AU	Double tail, 1 x snap hook, 2 x scaffold hooks, 2.0 m
70007928537	AE529ADJ/3AU	Single tail, adjustable, 2 x snap hooks, 0.75-2.0 m



AE529EY/5AU



AE529ADJ/3AU

## 3M™ Protecta® Pro Welders Shock Absorbing Lanyards

High Temperature Lanyards - Ideal for use during welding, cutting, electrical maintenance and other high temperature 'Hot Work' applications.

3M Order Code	Model #	Description
70007944229	AE529/3W	Single tail, Kevlar® fibre webbing, 2.0 m overall length with snap hooks on both ends
70007942900	AE529/5W	Single tail, Kevlar® fibre webbing, 2.0 m overall length with snap hook and scaffold hook on tail
70007948808	AE529/9W	Single tail, Kevlar® fibre webbing, 2.0 m overall length with triple action karabiners on both ends
70007943163	AE529Y/3W	Double tail, Kevlar® fibre webbing, 2.0 m overall length with snap hooks on all ends
70007934022	AE529Y/5W	Double tail, Kevlar® fibre webbing, 2.0 m overall length with snap hook and scaffold hooks on tails
70007947156	AE529Y/9W	Double tail, Kevlar® fibre webbing, 2.0 m overall length with triple action karabiners on all ends



AE529/3W



AE529/5W



AE529/9W



AE529Y/3W



AE529Y/5W



AE529Y/9W

## 3M™ Protecta® First™ Shock Absorbing Lanyard

3M Order Code	Model #	Description
70007932091	AE529FAU	Single Tail, 2.0 m, with screw gate captive eye karabiners on both ends



AE529FAU

All double tail lanyards are supplied with E839 Lanyard Stowage Points.



## 3M™ Protecta® Pole Strap

3M Order Code	Model #	Description
70007927703	AF725AU	2.5 m with adjuster, snap hooks & protective sleeve



AF725AU

# D Descent & Rescue

## 3M™ DBI-SALA® Tripods

3M Order Code	Model #	Description
70007488417	8000000	2.1 m, aluminium, square legs
70007490959	8000010	2.7 m, aluminium, square legs
<b>Tripod Accessories</b>		
70007488649	8003205	Snatch block, eye bolt pulley assembly
70007488656	8003238	Leg mount pulley bracket
70007489506	8005048	Mounting Bracket to fit SRL/Winch to Tripod Leg
70007612537	9503094	Tripod carry bag for 8000000
70007612545	9503095	2.1 m tripod
		Tripod carry bag for 8000010
		2.7 m tripod

Note: Tripods come standard with integral pulley system and one quick connect winch/SRL mounting bracket.



## 3M™ DBI-SALA® Emergency Retrieval Sealed-Blok SRL's

Sealed design makes it ideal for working in even the harshest of environments. All Emergency Retrieval Sealed-Blok Self Retracting Lifelines feature and ergonomic integral carrying handle and anchorage karabiner

3M Order Code	Model #	Description
70007460069	3400944	15 m stainless steel cable lifeline with stainless steel swivel snap hook and RSQ feature
70007460093	3400955	15 m galvanised cable lifeline with swivel snap hook
70007452025	3400956	15 m stainless steel cable lifeline with stainless steel swivel snap
70007451720	3400880	25 m galvanised cable lifeline with swivel snap hook
70007459830	3400881	25 m stainless steel cable lifeline with stainless steel swivel snap
70007460168	3400985	40 m galvanised cable lifeline with swivel snap hook
70007452157	3400986	40 m stainless steel cable lifeline with stainless steel swivel snap hook
<b>Emergency Retrieval Sealed SRL Accessories</b>		
70007452256	3401025	Mounting Bracket to fit Sealed Blok Retrieval SRL's to tripod leg



### 3M™ DBI-SALA® Fast-Line™ Lifeline Replacement Solution

FAST-Line™ allows the lifeline assembly to be replaced in the field by trained users in 4 easy steps

Contact your 3M Fall Protection Specialist for more information



## 3M™ DBI-SALA® Winches

3M Order Code	Model #	Description
<b>Salalift™ II Winch</b>		
70007489712	8102001	18 m, 6 mm galvanised cable
70007489746	8102009	27 m, 5 mm galvanised cable
70007489720	8102005	36 m, 5 mm galvanised cable
<b>Also available:</b> stainless steel cable models		
<b>Advanced Digital Winches</b>		
70007496816	8518560	18 m, 5 mm galvanised cable
70007496824	8518561	27 m, 5 mm galvanised cable
70007498184	8518582	58 m, 5 mm galvanised cable
<b>Also available:</b> stainless steel cable and Technora rope models		
<b>Advanced Basic Winches</b>		
70007498184	8518669	15 m galvanised cable
70007496915	8518670	15 m galvanised cable

A wide range of winches and accessories are available. Contact us for full details.



## 3M™ DBI-SALA® Bosuns Chair/Spreader Bar

3M Order Code	Model #	Description
70007941035	E822	0.6 m bosuns chair (height from seat to D-ring)
70007946406	E821	1.2 m bosuns chair (height from seat to D-ring)
70007935854	E823	1.2 m bosuns chair with spreader bar
70007926135	E522-SB1	Spreader bar with karabiner connections

## 3M™ DBI-SALA® Portable Fall Arrest Posts

For use on top of transformers or other types of platforms with potential fall hazards. A range of mounting bases are available for multiple applications as well as a detachable davit arm for use in rescue.

3M Order Code	Model #	Description
70007495354	8516691	Portable Fall Arrest System
70007495370	8516693	Rescue Davit Arm



Note: Mechanical devices and attachments sold separately.

## 3M™ DBI-SALA® 5-Piece Hoist System

Designed for manhole and confined space entry/retrieval applications. The Davit pivots for ease of rescue and has an adjustment for overhead clearance restrictions. The lower base adjusts to fit most standard entries. A range of bases and masts are available.

3M Order Code	Model #	Description
70007932950	8518000	Includes adjustable offset mast, lightweight lower mast and 3-piece lightweight base <b>Also available:</b> multiple size component configurations



Note: Mechanical devices and attachments sold separately.

## 3M™ DBI-SALA® Side Entry System

Designed for confined space entry/retrieval and rescue operations involving horizontal entries with vertical positioning or retrieval required inside the space.

3M Order Code	Model #	Description
70007493102	8511233	Side entry system package for use with external adjustment tank collar or permanently mounted bases
70007493094	8511231	External adjustable tank collar



Note: Mechanical devices and attachments sold separately.

## 3M™ DBI-SALA® Bases and Mounting Options

DBI-SALA Advanced portable and Fixed bases work with a variety of davit arm and mast extensions to suit a variety of applications.

Fixed Bases are ideal for work areas where frequent set-up and tear-down is required and a base can be permanently installed to an existing structure.

Portable Bases are ideal when you need to move and access various confined space areas

3M Order Code	Model #	Description
70007932778	8518348	<b>Fixed Bases</b> Wall Mount Sleeve (Stainless Steel)
70007492906	8510316	Flush Mount Sleeve (Zinc Plated Steel)
70007929709	8512831	Centre Mount Sleeve (Zinc plated Steel)
70007492914	8510323	<b>Portable Bases</b> Barrel Mount Sleeve (Zinc plated steel)
70007492914	8510323	Manhole Collar (Aluminium)



8518348



8512831



8510316



8510520



8510323


**Also available:** a wide range of other fixed and portable bases in stainless steel and galvanised steel are also available, contact us for more information, or for assistance in determining the most appropriate base for your needs.

For more information on the complete range of DBI-SALA Confined Space safety systems and options, visit [3M.com.au/FallProtection](http://3M.com.au/FallProtection) or contact us.

# D Descent & Rescue

## 3M™ DBI-SALA® Rescue Systems

3M Order Code	Model #	Description
		<b>Rollgliss™ R250 Rescue Kits</b> All R250 kits include: extension pole, rope & safety hook, mini-haul system, karabiners, anchorage slings and bags
70007786976	AG62501010	10 m system
70007926853	8900031	<b>Also available:</b> 20 m, 30 m and 50 m system lengths Heavy duty telescopic pole (for use with Rollgliss™ Rescue Kits)
		<b>Rollgliss™ R350 Rescue System</b> All R350 kits include: rope unit, pulleys, rope control device with integral lanyard, anchor strap, karabiners and carry bag
70007942710	R3503015	15 m system
70007947776	R3503030	30 m system
70007946778	R3503030P	30 m system, with pick pole
		<b>Rollgliss™ Rescue Ladder</b> 2.4 m, includes 3 connecting karabiners Anchorage plate for mounting ladder to a davit arm or anchorage point
0007494928	8516294	
70007494951	8516316	
		<b>Rollgliss™ R550 Rescue &amp; Escape Device – Rescue Kits</b> 10 m system, includes R550 twin brake descender, rescue hub with drill adaptor, connecting karabiner on housing, 9.5 mm kernmantle rope with snap hooks on both ends and a storage/deployment bag <b>Also available:</b> 20 m, 40 m, 60 m, 100 m, 120 m, 150 m
70007945366	3329010	
		<b>Rollgliss™ R550 Rescue &amp; Escape Device – Escape Kits</b> 10 m system, includes R550 twin brake descender, connecting karabiner on housing, 9 mm kernmantle rope with snap hooks on both ends and a storage/deployment bag <b>Also available:</b> 20 m, 40 m, 60 m, 100 m, 120 m, 150 m
70007931325	3328010	
		<b>Rescue Positioning Device Kits (RPD)</b> All RPD kits include: kernmantle rope, slings, karabiners, gripping handle and storage bag
70007931010	3600050	15 m travel, 3:1 ratio
70007939328	3602050	<b>Also available:</b> 23 m and 30 m travel lengths 15 m travel, 4:1 ratio <b>Also available:</b> 23 m and 30 m travel lengths and other ratios
		<b>Rescumatic™ Automatic Descent Control Device</b> Includes two rescue restraint straps, rope spool and cable assembly.
AT019425027	3300000-15	15 m system <b>Also available:</b> System lengths from 5 m up to 120 m.
		<b>Self Rescue Descender System (SRD)</b> All SRD kits include: descender, kernmantle rope, karabiner (SRD1 series), hammerlok with snap hook (SRD2 series), U bolt, storage/deployment box, tracer wire with R-clip, spacer and certification tag
70007942017	SRD1-20	20 m system, SRD1 series
70007958757	SRD2-20	<b>Also available:</b> 25 m and 30 m systems 20 m system, SRD2 series <b>Also available:</b> 25 m and 30 m systems
		<b>Ultra-Lok™ RSQ</b> 15 m dual mode self retracting lifeline with rescue function, stainless steel hook and cable
70007463279	3504555	Assisted rescue tool
70007453866	3500100	(for use on First-Man-Up™ pole)
70007453874	3500102	First-Man-Up™ pole (2.4-4.8 m) with assisted rescue tool




3M™ DBI-SALA® PenoGuard™

PenoGuard™ increases the safety of workers that need to work around penetrations.

In the closed position it serves as a cover for access holes eliminating any risk of falling through, in the open position it acts as a four sided guard rail allowing easy access to the penetration while protecting workers and bystanders around the hole.

3M Order Code	Model #	Description
70008288071	7903250	PenoGuard Civil
70007964219	7903000	PenoGuard Confined Space



3M™ Protecta® Confined Space Equipment

3M Order Code	Model #	Description
70007937991	ABSB0001AU	<b>Confined Space Spreader Bar</b> Retrieval straps with karabiner connections
70007932364	AM100	<b>Tripod and Accessories</b> Tripod, 1.4 - 2.4 m
70007932380	AK0100	Tripod bag
70007780078	AT052/1	Pulley with karabiner for use on tripod
70007464897	3590498	Fixing bracket for 3591002 retrieval SRL
70007466314	3591002	<b>Rebel™ Retrieval Self Retracting Lifeline</b> Galvanised cable, 15 m*
70007784153	AT200/I20	<b>Rescue Winch</b> Automatic locking system, 20 m**
70007936274	AA600AU	<b>Confined Space Kits</b> With Personnel Winch, includes: AM100 tripod, AT200/I20 Winch, AK0100 bag, mounting bracket and pulley
70007940581	AA610AU	With Type 3 SRL, includes: AM100 tripod, 3591002 Type 3 retrieval SRL, AK0100 bag, mounting bracket & pulley

\*When ordering the Rebel™ Retrieval Fall Arrest SRL for use with the Tripod, order the AT052/1 pulley and the 3590498 fixing bracket.

\*\* When ordering the Rescue Winch for use with the Tripod, order the AT052/1 pulley. Alternatively order the complete system, part no. AT200/I20/P



AA610AU

# D Descent & Rescue



## 3M™ DBI-SALA® Rollgliss™ Technical Rescue Range.

Made for work not play, the Rollgliss Technical Rescue product line meets the needs of rescuers for rigging, encompassing everything from simple descent systems to complicated flying foxes. It compliments our already established line of Industrial Rescue systems, including pre-rigged engineered rescue kits like the Rollgliss™ R350, R550 and more.

### 3M™ DBI-SALA® ExoFit NEX™ Full-Body Rescue Harnesses

#### ExoFit NEX™ Suspension Harness with Chest Ascender

Ideal for the professional ascending working lines  
Front, rear, side and abdominal Tech-Lite™ aluminium D-rings, integral chest ascender, Duo-Lok™ quick-connect buckles, padded lower back/hip pad, gear loops, non-slip hybrid comfort padding, REPEL™ technology webbing



#### ExoFit NEX™ Rope Access Suspension Harness with Chest Ascender

Ideal for the professional performing twin rope access work  
Front, rear, side and twin abdominal Tech-Lite™ aluminium D-rings, integral chest ascender, Duo-Lok™ quick-connect buckles, padded lower back/hip pad, gear loops, non-slip hybrid comfort padding, REPEL™ technology webbing



3M Order Code	Model #	Description
70007928693	783S4010	Small
70007931101	783M4010	Medium
70007933883	783L4010	Large
70007948998	783XL4010	Extra Large

3M Order Code	Model #	Description
70007932075	783S4011	Small
70007946117	783M4011	Medium
70007946109	783L4011	Large
AT010614835	783XL4011	Extra Large



#### ExoFit NEX™ Suspension Harness

Ideal for the professional performing rescue and emergency services, industrial rope access, abseiling and tower work  
Front, rear, side and abdominal Tech-Lite™ aluminium D-rings, Duo-Lok™ quick-connect buckles, padded lower back/hip pad, gear loops, non-slip hybrid comfort padding, REPEL™ technology webbing

3M Order Code	Model #	Description
70007934402	783S4016	Small
70007931028	783M4016	Medium
70007927661	783L4016	Large
70007934469	783XL4016	Extra Large

## 3M™ DBI-SALA® Rollgliss™ Anchorages



3M Order Code	Model #	Description
<b>Rigging Plates</b>		
70007939302	2189996	Large rectangular rigging plate, aluminium, 14 rigging points
70007937025	2189998	Medium oval rigging plate, aluminium, 10 rigging points, with rubber bumper
70007926432	2189997	Small triangular rigging plate, aluminium, 6 rigging points
70007931069	2189999	Small paw shape rigging plate, aluminium, 1 large & 4 small rigging points
<b>Swivel</b>		
70007933412	8700144	Triangular low profile, aluminium, with bearings - gold
<b>Anchor Straps</b>		
70007926481	3699998	0.5 m round anchor strap, 25 mm webbing
70007926440	3699952	1.0 m round anchor strap, 25 mm webbing
70007926457	3699953	1.5 m round anchor strap, 25 mm webbing
70007926465	3699954	2.0 m round anchor strap, 25 mm webbing
70007926473	3699997	3.0 m round anchor strap, 25 mm webbing



2189996



2189998



3699998



8700144



2189999

## 3M™ DBI-SALA® Rollgliss™ Connectors

3M Order Code	Model #	Description
<b>Pole Strap</b>		
70007927687	E90252559	2.5 m rope pole strap, lightweight rope grab adjuster with triple action karabiner, double action trigger snap hook
<b>Karabiners</b>		
70007927372	R-105-S-CE	Oval Karabiner, 18 mm gate opening, screw gate, captive eye, steel
70007928859	8700167	Oval Karabiner, 19 mm gate opening, screw gate, aluminium
70007928776	R-308	Small Offset D Rescue Karabiner, 14 mm gate opening, autolock, captive eye, double action, steel
70007939674	8700168	Small Offset D Rescue Karabiner, 18 mm gate opening, screw gate, aluminium
70007931721	8700200	Small Offset D Rescue Karabiner, 18 mm gate opening, autolock, triple action, aluminium
70007925079	2000117	Medium Offset D Fall Arrest Karabiner, 20 mm gate opening, autolock, captive eye, double action, steel
70007930228	8700198	Medium Offset D Rescue Karabiner, 22 mm gate opening, screw gate, aluminium
70007926986	R-113	Medium Offset D Fall Arrest Karabiner, 20 mm gate opening, autolock, triple action, captive eye, steel, 16 kN gate strength
70007930558	R-119	Medium Offset D Fall Arrest Karabiner, 20 mm gate opening, autolock, triple action, captive eye, stainless steel, 16 kN gate strength
70007931804	8700201	Large Offset D Rescue Karabiner, 27 mm gate opening, screw gate, steel
70007934030	2000172	Large Offset D Rescue Karabiner, 27 mm gate opening, autolock, triple action, stainless steel
70007449591	2000025	Medium Parabiner Fall Arrest Karabiner, 19 mm gate opening, autolock, triple action, aluminium, 16 kN gate strength
70007928651	2000114	Extra Large Parabiner Fall Arrest Karabiner 54 mm gate opening, autolock, captive eye, double action, steel, 16 kN gate strength
<b>Quick Links</b>		
70007939864	8700155	Delta Style, 7 mm gate opening, screw gate, steel
70007930996	8700187	Oval Style, 8 mm gate opening, screw gate, steel
70007935656	8700425	"D" Style, 10 mm gate opening, screw gate, steel



E90252559



8700167



8700168



8700200



2000117



8700198



R-119



8700201



2000172



2000025



2000114



8700187



8700425

# D Descent & Rescue

## 3M™ DBI-SALA® Descenders

3M Order Code	Model #	Description
<b>Double Stop Descenders</b>		
7000792743	8700387	Double stop descender, anodised gold aluminium, suits 10.5 - 12.0 mm rope
70007930921	8700388	Double stop descender, anodised gold/blue aluminium, suits 12.5 - 13.0 mm rope
<b>Manual Descender</b>		
70007930335	8700084	Manual descender, 5 hole, anodised gold aluminium, suits 9 - 16mm rope



8700387



8700388



8700084

## 3M™ DBI-SALA® Ascenders

3M Order Code	Model #	Description
<b>Chest Ascender</b>		
70007938056	8700522	Retrofit chest ascender, anodised gold aluminium, suits 10.5-13 mm rope
<b>Hand Ascenders</b>		
70007937983	8700118	Ergonomic hand ascender, anodised blue aluminium, left handed, suits 10.5-13 mm rope
70007937975	8700119	Ergonomic hand ascender, anodised blue aluminium, right handed, suits 10.5-13 mm rope
<b>Ascender Accessories</b>		
70007948733	1219020	5-Step Etrier, 1.8 m
70007941423	1219006	Single leg foot loop - adjustable length up to 1.8 m max
70007926754	1219007	Double leg foot loops - adjustable length up to 1.8 m max

8700522



8700119



1219020



1219006



1219007




## 3M™ DBI-SALA® Rope and Cord



3M Order Code	Model #	Description
---------------	---------	-------------

<b>Static Kernmantle Rope</b>		
<b>Rescue Rope</b>		
70007955043	1270183	13 mm, yellow with black fleck, per metre
70007934725	1270015	13 mm, orange with black fleck, per metre
70007935029	1270014	11 mm, navy with orange fleck, per metre
70007935037	1270155	11 mm, green with black fleck, per metre
70007930012	1270158	11 mm, orange with black fleck, per metre

<b>Prusik/Accessory Cord</b>		
70007933867	1270165	6 mm, red with yellow fleck, per metre
70007930160	1270167	7 mm, yellow with black fleck, per metre



<b>Pre-Sewn Prusik Loops</b>		
<b>Personal Prusiks</b>		
70007930343	8700600	Chest Prusik, 6 mm kernmantle rope, 0.52 m loop length, red with yellow fleck
70007942355	8700601	Foot Prusik, 6 mm kernmantle rope, 1.2 m loop length, red with yellow fleck
70007948725	8700602	Adjustable Purcell Foot Prusik, 6 mm kernmantle rope, 1.7 m loop length, red with yellow fleck
<b>Litter End Prusiks</b>		
70007939179	8700603	Foot End Prusik, 7 mm kernmantle rope, 0.9 m loop length, yellow with black fleck
70007945648	8700604	Head End Prusik, 7 mm kernmantle rope, 1.7 m loop length, yellow with black fleck
<b>Technical Rescue Prusiks</b>		
70007931812	8700605	Short Prusik, 8 mm kernmantle rope, 0.45 m loop length, blue with black fleck
70007933107	8700606	Medium Prusik, 8 mm kernmantle rope, 0.6 m loop length, blue with black fleck
70007931838	8700607	Long Prusik, 8 mm kernmantle rope, 0.75 m loop length, blue with black fleck

### Rope Finishing

3M Fall Protection offers rope in heat cut custom lengths and pre-finished set lengths: sewn, labeled and thimble. For lengths and colours contact Customer Service.



8700600



8700603




8700607

## 3M™ DBI-SALA® Edge Protection

3M Order Code	Model #	Description
---------------	---------	-------------

<b>Synthetic Rope Protector</b>		
70007948618	1270034	Wrap around, PVC
70007945523	1270033	Wrap around, canvas
70007926259	1270035	Wrap around, double canvas
<b>Mechanical Rope Protector</b>		
70007926523	8700141	For man made edges, aluminium
70007941431	8700142	For natural surfaces and edges, aluminium
70007931036	8700302	For man made & natural surfaces, aluminium



1270034


1270035



8700141



8700142



8700302

# D    Descent & Rescue

## 3M™ DBI-SALA® Pulleys

3M Order Code	Model #	Description
<b>Rigging Pulleys</b>		
70007929626	8700012	Single sheave, 40 mm diameter, suits rope up to 11 mm
70007927299	8700018	Single sheave, 50 mm diameter, suits rope up to 13 mm
70007926499	8700014	Double sheave, 50 mm diameter, suits rope up to 13 mm
70007938999	8700017	Triple sheave, 50 mm diameter, suits rope up to 13 mm
70007935367	8700021	Single sheave double ended, 50 mm diameter, suits rope up to 13 mm
70007932893	8700015	Double sheave double ended, 50 mm diameter, suits rope up to 13 mm
70007926390	8700034	Single Sheave Thick Cheek, 60 mm diameter, suits rope up to 25 mm
70007931994	8700025	Double Sheave, 60 mm diameter, suits rope up to 13 mm
70007927398	8700030	Single Sheave, 60 mm diameter, suits rope up to 13 mm
70007952628	8700011	Triple Sheave, 38 mm diameter, suits rope up to 9 mm
70007930020	8700027	Triple sheave, 60mm diameter, suits rope up to 13mm



8700012



8700018



8700014



8700017



8700021



8700015



8700034



8700025



8700030



8700011



8700027

3M Order Code	Model #	Description
<b>Prusik Minding Pulleys</b>		
70007928073	8700013	Single sheave, 40 mm diameter, suits rope up to 11 mm
70007930319	8700022	Single sheave, 50 mm diameter, suits rope up to 13 mm



8700013



8700022

## 3M™ DBI-SALA® Haul kits

3M Order Code	Model #	Description
<b>Micro Haul Kits</b>		
70007930236	8701100	6:1 mechanical advantage, 2 m working length
70007946208	8701101	6:1 mechanical advantage, 3 m working length
70007939229	8701102	6:1 mechanical advantage, 4 m working length
70007938189	8701103	6:1 mechanical advantage, 5 m working length
70007960449	8701104	6:1 mechanical advantage, 6 m working length
70007938171	8701105	6:1 mechanical advantage, 12 m working length
70008291075	8701106	6:1 mechanical advantage, 15 m working length



3M Order Code	Model #	Description
<b>Manual Lock Haul Kits</b>		
70007945861	8702098	4:1 mechanical advantage, 10 m working length
70007930368	8702099	4:1 mechanical advantage, 20 m working length
70007931333	8702100	4:1 mechanical advantage, 30 m working length
70007957536	8702103	4:1 mechanical advantage, 60 m working length



3M Order Code	Model #	Description
<b>Auto Lock Haul Kits</b>		
70007931309	8704103	4:1 mechanical advantage, 5 m working length
70007933347	8704104	4:1 mechanical advantage, 10 m working length
70007930392	8704105	4:1 mechanical advantage, 15 m working length
70007952271	8704106	4:1 mechanical advantage, 20 m working length
70007928206	8705104	6:1 mechanical advantage, 10 m working length
70007935151	8705105	6:1 mechanical advantage, 14 m working length
70007934246	8705106	6:1 mechanical advantage, 20 m working length
70007946497	8705110	6:1 mechanical advantage, 40 m working length



## 3M™ DBI-SALA® Rope Grabs

3M Order Code	Model #	Description
<b>Rope-Safe™ Rope Grab</b>		
70007933784	8700620	Kernmantle rope grab with 300 mm shock absorbing lanyard
70007939153	8700643	Kernmantle rope grab with 600 mm shock absorbing lanyard
70007935003	8700621	Kernmantle rope grab with 900 mm shock absorbing lanyard
70007939161	8700570	Kernmantle rope grab with 300 mm shock absorbing lanyard, without tow cord
70008290960	8700571	Kernmantle rope grab with 600 mm shock absorbing lanyard, without tow cord
70008290978	8700572	Kernmantle rope grab with 900 mm shock absorbing lanyard, without tow cord
<b>Rope-Mate™ Mechanical Prusik</b>		
70007935615	8700642	Mechanical Prusik, with swivel cover and non-abrasive cam. Ideal for use on 10.5 mm - 13 mm kernmantle rope



# D Descent & Rescue

## 3M™ DBI-SALA® Confined Space Rescue Frames

3M Order Code	Model #	Description
70007931788	8700000	<b>Tripod</b> 1.4 - 2.3 m adjustable aluminium tripod, complete with winch leg mount bracket and tripod pulley
70007944393	8700549	<b>Rescue Frame/ Tripod Mounting Bracket</b> Mounting Bracket, to fit SRL/Winch to Rescue Frame & Tripod leg



## 3M™ DBI-SALA® Bags

3M Order Code	Model #	Description
70007934451	8700397	<b>Gear Rolls</b> Small, 4 gear pockets & 7 karabiner loops
70007936514	8700396	Medium, 7 gear pockets & 10 karabiner loops
70007941530	8700398	Large, 14 gear pockets & 20 karabiner loops



3M Order Code	Model #	Description
70007932224	8700217	<b>Rope Bags</b> 5 L, orange/black, extra small - fits approx. 7 m x 11 mm rope
70007931341	8700225	25 L, yellow, small - fits approx. 50 m x 11 mm or 25 m x 13 mm rope
70007925657	8700222	40 L, green, medium - fits approx. 100 m x 11 mm or 50 m x 13 mm rope
70007925517	8700223	50 L, orange, large - fits approx. 200 m x 11 mm or 100 m x 13 mm rope
70007931358	8700224	60 L, red, extra large - fits approx. 300 m x 11 mm or 200 m x 13 mm rope



3M Order Code	Model #	Description
70007934303	8700562	<b>Rescue Gear Pack</b> Large gear Pack, 14 gear pockets, 30 karabiner loops, detachable ground cover
70007936779	8700641	<b>First Response Back Pack</b> First responder pack, 1 large main compartment, 2 large side pockets, rear fold out panel with mesh pockets, tie downs and connector points



Note: Equipment not included

3M™ DBI-SALA® Descent & Rescue Accessories


3M Order Code	Model #	Description
70007951653	8700221	<b>Throw Bags</b> Throw bag, 400 g
70007934444	8700503	Throw bag, 400 g, with 50 m of cord on reel



3M Order Code	Model #	Description
70007940847	8700241	<b>Spine Splint</b> Oregon Spine Splint



3M Order Code	Model #	Description
70007933966	8700239	<b>Stretchers</b> Sked Basic Rescue System
70007945929	8700546	Shell Basket Stretcher



3M Order Code	Model #	Description
70007929345	1219053	<b>Litter Bridles</b> Adjustable Litter Bridle with 8700201 karabiners
70007951000	1219058	Adjustable Litter Bridle with 2000114 karabiners
70007963674	1219059	Adjustable Litter Bridle with Soft Loops



Due to the wide range of rescue systems available and the technical nature of these products and applications, please contact us for more information or to speak with one of our Technical Rescue Specialists.



# Speciality Systems

## 3M™ DBI-SALA® FlexiGuard™ Solutions



### C-Frame Rail Fall Arrest System

A versatile system designed to be moved manually or with the use of a tow bar and service vehicle to provide safe access, horizontal movement and total fall protection on or near sensitive equipment for up to two users.



### A-Frame Rail Fall Arrest System

A secure anchor point in a portable structure giving the worker increased coverage and protection. Ideal solution for a workshop environment where space is limited. System is designed to be moved manually, provides horizontal movement and total fall protection for up to two users.



### Boxed-Frame Rail Fall Arrest System

Provides a convenient means of securing a fall arrest rigid rail in areas with limited space or inadequate overhead structure for up to two users. These units can be designed as a permanent or portable frame, allowing for easy relocation throughout a facility.



### Counterweight Rail Fall Arrest System

Designed as a versatile solution to provide an overhead anchor point for up to two users while working at heights. These systems are designed to be counterbalanced by concrete allowing for close positioning to the work surface without obstructing the equipment being accessed.

Each FlexiGuard solution is driven by our customers' needs and is dependent on the industry, environment and specific design constraints, including government standards. For complete peace of mind DBI-SALA's FlexiGuard Access Systems offer a complete solution that is ready to use.

# 3M™ Connected Safety.

You'll be amazed at what our 3M™ Inspection & Asset Management System can do.

Smart. Connected. Personal.

It's time to connect, ask your Safety Specialist for more information or to request a demonstration.



### Ladder Fall Arrest System

Adjustable in height that provides easy access to elevated work areas of different heights such as fuselage, wing and general maintenance areas with fall protection from the ground up for multiple users, for the duration of the work being performed.



### Portable Tanker Access Ladder System - Fall Arrest

The Portable Tanker Access Ladder System (PTALS) provides easy access to elevated work areas with fall arrest rated tie-off for one operator from the ground up for the duration of the work being performed. System configurations may include but not limited to guardrails, SRL's or confined space entry equipment.



### SafRig™ with Counterweight Base

The Counterweighted SafRig is a portable solution for indoor and outdoor maintenance where mobility and worker safety are key. The system incorporates a 360° rotating jib with the capacity to provide fall protection for one person. Forklift pockets are located on two sides of the base as well as lifting rings to ensure ease of mobility and placement from job site to job site.



### Portable Tanker Access Ladder System - Work Positioning

The Portable Tanker Access Ladder System (PTALS) combines easy access to elevated work areas with fall protection and work positioning for one operator for the duration of the work being performed. System configurations may include but not limited to guardrails or confined space entry equipment.

Due to the technical nature of all these speciality systems and applications, a degree of customisation is required. Please contact 3M Fall Protection for more information.



# Speciality Systems

## 3M™ DBI-SALA® Engineered Systems

Our range of engineered horizontal systems provide a choice of fall protection solutions that allow users to most effectively resolve the risks associated with work at height in a wide range of applications, and comply with workplace safety regulations.

### RoofSafe™ Cable System

The system attaches to roof sheeting and can span up to 12 m between supports to provide continuous hands-free access and protection.



### RoofSafe™ Rail System

The only direct to roof rail system that can facilitate changes in direction and roof slopes, ensuring continuous safe roof access for fall arrest and rope / suspended access applications.



### Uni-8™ / Evolution™ System

This system attaches to the structure and is well suited to modern building projects and a wide range of industrial safety applications.



### UniRail™ System

Can be fitted to a wide range of structures and can support multiple workers for both fall arrest and rope / suspended access applications.



### The Uni-8™ Overhead System

This quality safety solution can support heavy fall arrest and controlled rate descent devices, ensuring free and unhindered movement for the worker when carrying out work at height.



Contact us for more information or to speak with one of our Systems Specialists

## 3M™ DBI-SALA® Netting systems



### Adjust-a-Net™

Designed to be easily adjustable to fit any work space where personal fall protection or debris capturing is required.



### Perimeter Net

A lightweight system for rigging nets around the perimeter of new concrete buildings.



### Debris Containment System

Light duty netting system for containing debris under conveyors, bridges, aqueducts or any structure traversing trafficable areas.



### Back of Rack Netting

Designed to provide solutions to racking applications to solve material containment issues protecting both employees and products.

A wide range of netting solutions are available, contact us for more information or to speak with one of our Netting Specialists.

## 3M™ DBI-SALA® Accessories

3M Order Code	Model #	Description
70007944864	AK145	Lanyard Cover
70007930715	E810-DUAL	Yoke Harness Extension, dual, for rescue
70007933834	E810-SINGLE	Yoke Harness Extension, single, for rescue
70007925780	E831	Dorsal Extension, retrofit
70007925004	E838	Utility Tool Pouch - 2 Pocket
70007938817	E839	Lanyard Stowage Points
70007400479	1000570	Derrick Belt, for use with ExoFit NEX™ Derrickmans harness
70007432340	1150011	Suspension Seat, for use with ExoFit NEX™ climbing, Sit and Derrickmans harness
70007424396	1150414	Suspension Seat, for use with any brand/style of harness
70007433355	1150174	Harness Hydration System
70007943817	9501215	Mesh Harness Laundry Wash Bag
70007925137	9501403	Suspension Trauma Straps
70007607438	9501207	Delta™ Comfort Back Pad
70804401902	CL002	Custom Harness Labels
70007925848	G029-10	Harness Storage Bag
70007934501	G029-15	Harness Storage Duffel Bag
70007937215	G029-NEX	Harness Storage Backpack
70007932224	8700217	Equipment Duffel Bag, small
70007931291	8700547	Equipment Duffel Bag, standard
70007929493	1900-0000	Equipment/Kit Storage Bag, standard
70007927224	G029-3	Equipment/Kit Storage Bag, large



E831



E839



1000570



1150414



1150174



9501403



CL002



G029-10



G029-15



G029-NEX



8700217

8700547



1900-0000



Also available.  
**Rollgliss  
Rope Bags**  
See page 31.



Bumper Cable Tag



Soft Goods Tag



Hard Goods Tag

RFID retrofit tags are also available for use on all brands of harnesses, lanyards, self-retracting lifelines or other equipment such as gas detectors, tools, ladders & fire extinguishers that require inspection.

## 3M™ Protecta® Accessories

3M Order Code	Model #	Description
70007781621	AK043	Duffel Bag, 300 mm x 500 mm
70007939138	AK066AU-BKP	Roofers Kit Backpack
70007947529	G029-PRO	Harness Storage Bag
70007938817	E839	Lanyard Stowage Points



AK043



G029-PRO



AK066AU-BKP

# E Education & Resources



Fall Protection



## 3M Fall Protection Website

Visit our fall protection website to view enhanced product details including: specifications, literature, technical bulletins, manuals, videos and more... all at your fingertips.

**3M.com.au/FallProtection**

## Toolbox Talks


We offer complimentary seminars using our fleet of Mobile Demonstration Units fitted with the latest fall protection equipment and systems. Contact us on: **1800 245 002(AUS) or 0800 212 505(NZ)**




Download the latest Equipment Inspection Checklists FREE from: **3M.com.au/FallProtection** (click on the Safety Resources tab)



Order your FREE educational Fall Protection Posters from **3M.com.au/FallProtection** (click on the Safety Resources tab)



Order your FREE copy of our Every Worker's Guide to Height Safety Essentials at: **3M.com.au/FallProtection** (click on the Safety Resources tab)



See it now on Fall Protection TV  
**www.youtube.com/FallProtectionTV**



Follow us on:



## Working At Height Association (WAHA)

3M Fall Protection is proud to be a member of the Working At Height Association (WAHA) of Australia. WAHA is dedicated to the ongoing development of the highest standards of equipment and competency of all persons involved in working at height.

WAHA recognises that working at height is a high risk operation and the highest possible standards must be applied, if you are involved with height safety equipment in any way why not consider becoming a member and see how WAHA can assist you, find out more at: **www.waha.org.au**





## 3M™ DBI-SALA® Attachment Points

3M Order Code	Model #	Description
<b>D-Rings</b>		
70007448809	1500003	D-Ring 13 X 57 mm, 0.9 kg load rating, 10 pack
70007448817	1500004	D-Ring 13 X 57 mm, 0.9 kg load rating, 100 pack
70007448825	1500005	D-Ring 13 X 57 mm, Non-conductive, 0.9 kg load rating, 10 pack
70007448833	1500006	D-Ring 13 X 57 mm, Non-conductive, 0.9 kg load rating, 100 pack
70007448841	1500007	D-Ring 25 X 89 mm, 2.3 kg load rating, 10 pack
70007437653	1500008	D-Ring 25 X 89 mm, 2.3 kg load rating, 50 pack
70007448783	1500001	Dual D-Ring Small, 0.9 kg load rating, 10 pack
70007448791	1500002	Dual D-Ring Small, 0.9 kg load rating, 100 pack
<b>Quick Wrap Tape</b>		
70007437828	1500044	Quick Wrap Yellow, 2.7 m length
70007449039	1500045	Quick Wrap Yellow, 2.7 m length
70007437836	1500046	Quick Wrap Yellow, 2.7 m length
70007437794	1500035	Quick Wrap Blue, 2.7 m length
70007437802	1500036	Quick Wrap Blue, 2.7 m length
70007448981	1500037	Quick Wrap Blue, 2.7 m length
70007448999	1500038	Quick Wrap Blue, 5.5 m length
70007449005	1500039	Quick Wrap Blue, 5.5 m length
70007449013	1500040	Quick Wrap Blue, 5.5 m length
<b>Tool Cinch Attachments</b>		
70007437695	1500015	V-Ring attachment point, 2 stabilisation wings, 15.9 kg load rating
70007437703	1500016	V-Ring attachment point, 2 stabilisation wings, 15.9 kg load rating, 10 pack
70007448874	1500013	V-Ring attachment point, stabilisation wing, 15.9 kg load rating
70007437687	1500014	V-Ring attachment point, stabilisation wing, 15.9 kg load rating, 10 pack
70007448866	1500011	V-Ring attachment point, 15.9 kg load rating
70007437679	1500012	V-Ring attachment point, 15.9 kg load rating, 10 pack
70007448882	1500017	V-Ring attachment point, 2 stabilisation wings, 36.3 kg load rating
70007437711	1500018	V-Ring attachment point, 2 stabilisation wings, 36.3 kg load rating
<b>Heat Shrink</b>		
70007437729	1500019	Heat Shrink 19 mm X 45 mm, 25 pack
70007437737	1500020	Heat Shrink 25 mm X 45 mm, 25 pack
70007448890	1500021	Heat Shrink 38 mm X 51 mm, 25 pack
70007437745	1500022	Heat Shrink 51 mm x 102 mm, 10 pack
70007448908	1500023	Heat Shrink 76 mm x 102 mm, 10 pack
<b>D-Ring Cord</b>		
70007448858	1500009	D-Ring Cord, 2.3 kg load rating, 10 pack
<b>Quick Spins</b>		
70007448932	1500027	Small, 15 mm diameter, 0.5 kg load rating, 10 pack
70007437760	1500028	Medium, 20 mm diameter, 0.5 kg load rating, 10 pack
70007448940	1500029	Large, 25 mm diameter, 0.5 kg load rating, 10 pack
70007437778	1500030	Extra Large, 31 mm diameter, 0.5 kg load rating, 10 pack
70007448957	1500031	Pen Holder, 8 mm diameter, 10 pack
70007448965	1500032	Pen Holder with Coil, 8 mm diameter, 10 pack
70007437786	1500033	Permanent Marker Holder, 13 mm diameter, 10 pack
70007448973	1500034	Permanent Marker Holder with Coil, 13 mm diameter, 10 pack
<b>Micro D-Ring</b>		
70007437661	1500010	Micro D-Ring, 10 pack
<b>Quick Rings</b>		
70007448916	1500024	Quick Ring, Small, 19 mm diameter, 0.9 kg load rating, 25 pack
70007448924	1500025	Quick Ring, Medium, 25 mm diameter, 0.9 kg load rating, 25 pack
70007437752	1500026	Quick Ring, Large, 38 mm diameter, 0.9 kg load rating, 25 pack



# Fall Protection for Tools

## 3M™ DBI-SALA® Tool Lanyards

3M Order Code Model # Description

### Bungee Tethers

70007449047	1500047	Hook2Loop Bungee Tether, 6.8 kg load rating
70007449054	1500048	Hook2Loop Bungee Tether, 6.8 kg load rating, 10 Pack
70007449062	1500049	Medium Duty Hook2Loop Bungee Tether, 15.9 kg load rating



### Coil Tethers

70007437901	1500063	Hook2Hook Coil Tether, 2.3 kg load rating
70007449146	1500064	Hook2Hook Coil Tether, 2.3 kg load rating, 10 pack
70007437927	1500067	Trigger2Trigger Coil Tether, 2.3 kg load rating
70007449161	1500068	Trigger2Trigger Coil Tether, 2.3 kg load rating, 10 pack
70007449120	1500059	Clip2Clip Coil Tether, 0.9 kg load rating, 10 pack
70007449153	1500065	Hook2Quick Ring Coil Tether with Tail, 0.9 kg load rating
70007437919	1500066	Hook2Quick Ring Coil Tether with Tail, 0.9 kg load rating, 10 pack
70007437885	1500060	Clip2Loop Coil Tether, 0.9 kg load rating, 10 pack
70007437893	1500061	Hard Hat Tether, 0.9 kg load rating, 10 pack
70007449138	1500062	Hard Hat Tether, 0.9 kg load rating, 100 pack




### Retractor

70007437935	1500069	Steel Cable Retractor, 0.7 kg load rating
-------------	---------	---



### Trigger2Trigger Lanyards

70007437851	1500053	0.3 m, 4.5 kg load rating
70007449096	1500054	0.3 m, 4.5 kg load rating, 10 pack
70007449104	1500055	0.6 m, 4.5 kg load rating
70007449112	1500056	0.6 m, 4.5 kg load rating, 10 pack
70007437869	1500057	0.9 m, 4.5 kg load rating
70007437877	1500058	0.9 m, 4.5 kg load rating, 10 pack



### Hook2Loop Lanyards

70007449070	1500050	Medium Duty, 15.9 kg load rating
70007449088	1500051	Heavy Duty, 36.3 kg load rating

### Hook2Rail Lanyard

70007437844	1500052	Heavy Duty, 36.3 kg load rating
-------------	---------	---------------------------------

## 3M™ DBI-SALA® Tool Holsters

3M Order Code Model # Description

### Single and Dual Tool Holsters

70007438974	1500103	Single Tool Holster, harness attachment
70007438982	1500104	Single Tool Holster with retractor, harness attachment
70007449310	1500101	Single Tool Holster, belt attachment
70007449328	1500102	Single Tool Holster with retractor, belt attachment
70007438990	1500105	Extra-Deep Single Tool Holster, belt attachment
70007449344	1500108	Dual Tool Holster, harness attachment
70007449351	1500109	Dual Tool Holster with retractors, harness attachment
70007449336	1500106	Dual Tool Holster, belt attachment
70007439006	1500107	Dual Tool Holster with retractors, belt attachment



### Tape Measure Holsters

70007438941	1500098	Tape Measure Retractor Holster
70007438958	1500099	Tape Measure Sleeve
70007438966	1500100	Tape Measure Retractor Holster and Sleeve Combo



### Pouch Holster

70007438917	1500095	Pouch Holster with Retractor
-------------	---------	------------------------------



### Scaffold Wrench Holster

70007438925	1500096	Scaffold Wrench Holster with Retractor
70007438933	1500097	Scaffold Wrench Holster with Retractor and Hook2Loop Bungee Tether



### Hammer Holster

70007438909	1500093	Hammer Holster
70007449302	1500094	Hammer Holster & Hook2Quick Ring Coil Tether



### Radio Holster

70007438883	1500088	Adjustable Radio Holster
70007438891	1500089	Adjustable Radio Holster, Clip2Loop Coil Tether and Micro D-Ring

### Spray Can / Bottle Holster

70007449286	1500091	Spray Can / Bottle Holster
70007449294	1500092	Spray Can / Bottle Holster and Clip2Clip Coil Tether

### Battery Holster/Sleeve

70007449278	1500090	Drill Battery Holster/Sleeve
-------------	---------	------------------------------



## 3M™ DBI-SALA® Tool Belts

3M Order Code Model # Description

### Comfort Tool Belt

70007449369	1500110	Comfort Tool Belt, small - medium
70007449377	1500111	Comfort Tool Belt, large - extra large
70007439014	1500112	Comfort Tool Belt, 2 extra large - 3 extra large



### Utility Tool Belt

70007449385	1500113	Utility Tool Belt, small - large
70007449393	1500114	Utility Tool Belt, extra large - 3 extra large

### Belt Loops

70007449401	1500115	Belt Loop with D-Ring, 2.3 kg load rating
70007439022	1500116	Belt Loop with D-Ring, 2.3 kg load rating, 10 pack
70007439030	1500117	Belt Loop with Trigger, 2.3 kg load rating
70007439048	1500118	Belt Loop with Trigger, 2.3 kg load rating, 10 pack



## 3M™ DBI-SALA® Tool Pouches



3M Order Code	Model #	Description
<b>Small Parts Pouches</b>		
70007449435	1500122	Small Parts Pouch, vinyl yellow
70007439055	1500119	Small Parts Pouch, canvas black
70007449419	1500120	Small Parts Pouch, canvas camo
70007449427	1500121	Small Parts Pouch, canvas orange
70007449443	1500123	Small Parts Pouch, extra deep canvas black
<b>Utility Pouches</b>		
70007439097	1500130	Utility Pouch with Zipper Closure
70007449484	1500132	Utility Pouch
<b>Inspection Pouch</b>		
70007439105	1500131	Meter Pouch
<b>Tool Pouches</b>		
70007439063	1500124	Standard Tool Pouch
70007449450	1500125	Standard Tool Pouch with 2 Retractors
70007439071	1500126	Standard Tool Pouch with 2 Triggers
70007439089	1500127	Extra-deep Tool Pouch
70007449468	1500128	Extra-deep Tool Pouch with 2 Retractors
70007449476	1500129	Extra-deep Tool Pouch with 2 Triggers



1500119



1500132



1500131




1500125

## 3M™ DBI-SALA® Spill Control Buckets

3M Order Code	Model #	Description
<b>Standard Safe Buckets</b>		
70007439121	1500134	Canvas with Hook and Loop closure, 45.4 kg load rating
70007439113	1500133	Canvas with Drawstring closure, 45.4 kg load rating
70007439162	1500140	Vinyl with Hook and Loop closure, 113.4 kg load rating
70007439154	1500139	Vinyl with Drawstring closure, 113.4 kg load rating
<b>Safe Bucket Insert</b>		
70007449518	1500141	Hard Body Safe Bucket Insert
<b>5 Gallon Safe Bucket</b>		
70007439139	1500135	Canvas with Hook and Loop closure, 45.4 kg load rating
<b>Long Safe Buckets</b>		
70007439147	1500136	Standard, 1.2 m, Canvas with Hook and Loop closure, 45.4 kg load rating
70007449492	1500137	Medium, 1.8 m, Canvas with Hook and Loop closure, 45.4 kg load rating
70007449500	1500138	Tall, 3.1 m, Canvas with Hook and Loop closure, 45.4 kg load rating



1500134



1500141



1500136

## 3M™ DBI-SALA® Wristbands

3M Order Code	Model #	Description
<b>Pullaway Wristbands</b>		
70007437943	1500070	Small, 2.3 kg load rating
70007449179	1500071	Small, 2.3 kg load rating, 10 pack
70007449187	1500072	Medium, 2.3 kg load rating
70007437950	1500073	Medium, 2.3 kg load rating, 10 pack
70007449195	1500074	Large, 2.3 kg load rating
70007449203	1500075	Large, 2.3 kg load rating, 10 pack
70007449211	1500076	Small (Slim), 2.3 kg load rating
70007449229	1500077	Small (Slim), 2.3 kg load rating, 10 pack
70007437968	1500078	Medium (Slim), 2.3 kg load rating
70007437976	1500079	Medium (Slim), 2.3 kg load rating, 10 pack
70007449237	1500080	Large (Slim), 2.3 kg load rating
70007449245	1500081	Large (Slim), 2.3 kg load rating, 10 pack
<b>Adjustable Wristbands</b>		
70007449252	1500082	Adjustable Wristband, 2.3 kg load rating
70007437984	1500083	Adjustable Wristband, 2.3 kg load rating, 10 pack
70007437992	1500084	Adjustable Wristband with Cord, 2.3 kg load rating
70007449260	1500085	Adjustable Wristband with Cord, 2.3 kg load rating, 10 pack
70007438008	1500086	Adjustable Wristband with Retractor, 0.7 kg load rating
70007438875	1500087	Adjustable Wristband with Retractor, 0.7 kg load rating, 10 pack



1500070



1500076



1500084



1500086



## Fall Protection for Tools Awareness Resources

- Common Tool Attachment Points Poster
- Drop Prevention Awareness Poster
- Product Catalogue
- Pocket Reference Guide
- Hard Hat Sticker
- Product Videos



Contact us to get your Free resources today

# Services

## 3M | Fall Protection

### Safety Training

Capital Safety, 3M's Fall Protection Training provider offers a range of training and consulting services to fit your needs, ensuring you or your employees are thoroughly trained in a practical, hands-on environment.

#### In-house Training Facilities

Custom-built, in-house training facilities at both our Sydney and Darwin training centres provide a hands-on training experience. Practical demonstrations, individual exercises and theoretical assessment ensure our courses build confidence and enhance safety competence when working at heights.

#### On-Site Training

Training programs can be delivered at the client's site to all locations across Australia. If you can provide the students and the location, we will provide the equipment and experienced instructors.

#### Tailored Training

Our courses can be tailored to suit a company's individual requirements. We specialise in the design and implementation of training for industry sectors such as: civil, construction, mining, and wind energy. We also offer specialist courses such as: roof top and bridge rescue, jump form, tower crane and swing stage rescue, drill rig rescue, post fall recovery and wind turbine rescue.

#### Online Learning

Online versions of the Height Safety Theory and Height Safety Equipment Inspection training are also available. Contact us to find out more, or to sample a free limited demonstration of the training.

**Capital Safety, 3M's Fall Protection Training provider, is accredited by the National VET Regulator, ASQA, to deliver the following nationally recognised units of competency:**



- RIIWHS204D - Work Safely at Heights
- RIIWHS202D - Enter and Work in Confined Spaces
- MSMPER205 - Enter Confined Space
- MSMPER200 - Work in Accordance with an Issued Permit
- MSMWHS217 - Gas Test Atmospheres
- MSMWHS216 - Operate Breathing Apparatus
- PUASAR022A - Participate in a Rescue Operation
- PUASAR032A - Undertake Vertical Rescue
- HLTAID001 - Provide Cardiopulmonary Resuscitation
- HLTAID002 - Provide Basic Emergency Life Support
- HLTAID003 - Provide First Aid
- HLTAID006 - Provide Advanced First Aid
- HLTAID007 - Provide Advanced Resuscitation
- MEM11011B - Undertake Manual Handling
- MEM15004B - Perform Inspection
- UETTDRRF06B - Perform Rescue from a Live LV Panel
- PUAWER008B - Confine Small Workplace Emergencies

Registered Training Organisation (Provider No. 91276)

For course details or to book online visit

**3M.com.au/FallProtection**

# Inspection Reporting Service.

Is your site safe to work at height?



- The law requires that you provide a safe work environment for staff, visitors and contractors.
- How long has it been since your last site inspection?

One of the biggest challenges facing many companies is understanding where the working-at-height risks exist on site and the types of measures that can be taken to minimise them.

Our trained technicians will utilise our exclusive Inspection Reporting Tool to develop a thorough report, making recommendations that employ worlds best practice regarding fall protection in your workplace.

Contact your Regional Sales Manager or our Customer Service Centre on:

**1800 245 002 (AUS)**

**0800 212 505 (NZ)**

to book your site inspection or for more information.

## Are you looking for more?

- New Products
- Full Product Range
- Glossary (fall protection terminology)
- Instruction Manuals
- Technical Bulletins
- Find your local Sales Manager
- Safety References
- Product Images
- Find a certified Installer
- Find your local distributor
- Detailed Product Specifications
- Fall Distance Calculations

It's all available at

**3M.com.au/FallProtection**



# The sky's the limit.

3M Fall Protection, a division of 3M's Personal Safety Division is dedicated to fall protection and rescue. Our focus is razor sharp, it continually drives us to design and manufacture the safest possible height safety gear.

We understand the industries we serve and listen to the workers in the field. We employ the best engineers to create innovative solutions and patent the products that keep workers safe at heights around the world. 3M Fall Protection has the best quality and largest range of fall protection products in the industry. But we're more than a product company.

We take an innovative approach in bringing our products to the field. We have created international partnerships and a vast network of authorised distributors, certified installers and service centres. We offer on-site and in-house training. Our manufacturing sites hold ISO 9001 quality accreditation, as well as ISO 14001 environment and AS4801 Health & Safety accreditation. 3M Fall Protection is one of the world's leading manufacturers of fall protection and rescue equipment, with decades of experience and a legacy of innovation. Look for complete solutions in our extensive range of DBI-SALA® and Protecta® brands.

**“Dedicated To Bringing Every Worker At Height Home Safely”**

For more information visit

**3M.com.au/FallProtection**

or call **1800 245 002 (AUS) 0800 212 505 (NZ)**



**3M Fall Protection Business**  
Personal Safety Division

**3M Australia Pty Ltd**  
Bld A, 1 Rivett Road  
North Ryde, NSW 2113  
TechAssist Helpline: 1800 024 464  
Customer Services: 1300 363 565  
Email: techassist@mmm.com  
3M.com.au/ppesafety



SUPPLIES



**Authorised Distributor : Scavenger Supplies Pty Ltd**

WA Head Office: Tel: **+61 (0)8 9584 2500**  
NSW Office: Tel: **+61 (0)2 4244 1008**

Email: [sales@scavengersupplies.com.au](mailto:sales@scavengersupplies.com.au)  
Web: [www.scavengersupplies.com.au](http://www.scavengersupplies.com.au)

© 3M 2017. All rights reserved. 3M, Adjust-a-Net, Anchor on the Go, DBI-SALA, Delta, Duo-Lok, ExoFit NEX, ExoFit STRATA, Evolution, EZ-Link, EZ-Stop, Fast-Line, First-Man-Up, FlexiGuard, Force2, Glyder, HI-10, Lad-Saf, LIFTech, Mobi-Lok, Nano-Lok, PolarMesh, PRO-Line, Protecta, RailDog, Raillok, Rebel, REPEL, Revolver, Rollgliss, RoofSafe, Rope-Mate, Rope-Safe, Saflok, Sayflite, Saffrig, SecuraSpan, Tech-Lite, Ultra-Lok, UniRail, Uni-8 and WrapBox are trademarks of 3M Company. AV01144020.