



LIFTING BAG

ONLY 22MM THIN FOR EASY
INSERTION IN NARROW GAPS

SBR FOR HIGH RESISTANCE TO ABRASION

SUPERPOSITION OF 2 BAGS

12 AVAILABLE SIZE OF BAGS





These lifting bags are the result of a long experience in the field of manufacturing cushions. This range, which works up to 10 bar, provides a 30% higher lifting force than the previous range.

They are designed to be used by rescue teams. They are 22 mm thin for easy insertion in tight spaces and are reinforced with kevlar fibers for a long lifespan. Moreover the non slip surface of the bags allows to stack up 2 bags to gain lifting surface.

The lifting bags were redesigned with new accessories. They comply with the norm EN 13731 and are even more convenient to use.





FEATURES

- ▶ 12 available size of bags ranging from 1T to 81T for all situations
- ▶ Only 22mm thick for easy insertion in narrow gaps
- ▶ SBR material and Kevlar fibers for high resistance to abrasion and long life span
- ▶ Superposition of 2 bags

Model	SCORP'AIR 1/1,3 T	SCORP'AIR 3 /4 T	SCORP'AIR 6/8 T	SCORP'AIR 10/13 T	SCORP'AIR 14/18 T	SCORP'AIR 19/24 T	SCORP'AIR 24/30L T	SCORP'AIR 24/30L T	SCORP'AIR 30/38 T	SCORP'AIR 43/54 T	SCORP'AIR 54/65 T	SCORP'AIR 65/81 T
Size mm	150x150	200x200	300x300	380x380	420x420	510x510	1000x320	560x560	620x620	750x750	840x840	920x920
thickness mm	22	22	22	22	22	22	22	22	22	22	22	22
weight kg	0,7	1.3	2.2	3.4	4.1	6	7.5	7	8.5	12.5	16.5	19.5
Max course mm	90	115	175	220	245	295	215	320	345	410	465	515
Lifting force at 8 bar	1	3	6	10	14	19	24	24	30	43	54	65
Lifting force at 10 bar	1.3	4	8	13	18	24	30	30	38	54	68	81
Air volume in Liters	0.6	1	6	11	13	25	28	36	46	80	116	161
Max air required	5.4/6.6	9/11	54/66	99/120	117/142	225/272	252/272	324/392	414/501	720/870	1044/1262	1449/1751
Max inflation pressure	10	10	10	10	10	10	10	10	10	10	10	10